

Kurzweil 3000™ for Windows  
Reference Guide  
Version 14

# Kurzweil 3000™ for Windows – User Guide

© Kurzweil Educational Systems, a Cambium Learning Company. All rights reserved. Kurzweil Educational Systems, Kurzweil 3000, License-to-Go, KESI Virtual Printer, and *firefly* by Kurzweil Educational Systems are registered trademarks of Kurzweil Educational Systems.

Microsoft, Windows, Windows 2003, Windows Server 2008, Windows Server 2012, Windows XP, Windows Vista, Windows 7 and Windows 8 are registered trademarks of Microsoft Corporation in the United States and/or other countries.

Other product or brand names are trademarks or registered trademarks of their respective holders.

Component Acknowledgments:

*The American Heritage® Dictionary of the English Language, Fifth Edition.* Copyright © 2011 by Houghton Mifflin Harcourt Company. Published by the Houghton Mifflin Harcourt Company. No part of this database may be reproduced or otherwise used without prior written permission from the publisher unless such use is expressly permitted by applicable law.

Words are included in this Dictionary on the basis of their usage. Words that are known to have current trademark registration are shown with an initial capital and are also identified as trademarks. No investigation has been made of common-law trademark rights in any word. The inclusion of any word in this dictionary is not, however, an expression of the Publisher's opinion as to whether or not it is subject to proprietary rights, nor is it to be regarded as affecting the validity of any trademark.

American Heritage® and the eagle logo are registered trademarks of American Heritage, Inc. Their use is pursuant to a license agreement with American Heritage, Inc.

*The American Heritage® Children's Dictionary* by the Editors of the American Heritage® Dictionaries. Copyright © 2009 by Houghton Mifflin Harcourt Company. Published by the Houghton Mifflin Harcourt Company. No part of this database may be reproduced or otherwise used without prior written permission from the publisher unless such use is expressly permitted by applicable law.

*Roget's II: The New Thesaurus, Third Edition* by the Editors of the American Heritage® Dictionaries. Copyright © 2005 by Houghton Mifflin Harcourt Company. Published by Houghton Mifflin Harcourt Company. No part of this database may be reproduced or otherwise used without prior written permission from the publisher unless such use is expressly permitted by applicable law.

No investigation has been made of common-law trademark rights in any word. Words that are known to have current trademark registration are shown with an initial capital and are also identified as trademarks. The inclusion or exclusion of any word, or its capitalization in this dictionary is not, however, an expression of the Publisher's opinion as to whether or not it is subject to proprietary rights, nor is it to be regarded as affecting the validity of any trademark.

RealSpeak™ © Nuance Communications, Inc. All rights reserved.

Vocalizer Automotive™ © Nuance Communications, Inc. All rights reserved

Acapela Text-to-Speech from Acapela Group.

OpenDyslexic font. © OpenDyslexic.

Homophones and confusables word lists from WordSpring™ software. © 2002 Lexia Institute.

Additional product components are licensed from ABBYY™; Bennet-Tec Information Systems, Inc.; Nuance Communications, Inc.; and Vantage Technologies.

MPEG Layer-3 audio coding technology licensed from Fraunhofer IIS and Thomson.

The Picture Communication Symbols samples © 1981-2004 Mayer-Johnson, Inc., Solata Beach, CA. USA. All rights reserved worldwide.

Widgit Picture Dictionary. © Widgit Software.

NIMAS Sample files created by the AIM and NIMAS Centers at CAST, Inc. with support from the Office of Special Education, US Department of Education.

Portions of Kurzweil 3000 Professional Edition Copyright Design Science, Inc., 2012. All rights reserved. Unauthorized reproduction prohibited.

Design Science, Inc. Expressly disclaims any and all warranties concerning this software and documentation, including any warranties of merchantability and/or fitness for any particular purpose, and warranties of performance, and any warranty that might otherwise arise from course of dealing or usage of trade. No warranty is either express or implied with respect to the use of the software or documentation. Under no circumstances shall Design Science, Inc. be liable for incidental, special, indirect, direct or consequential damages or loss of profits, interruption of business, or related expenses which may arise from use of software or documentation, including but not limited to those resulting from defects in software and/or documentation, or loss or inaccuracy of data of any kind.

Note About Copyrighted Material

If you upload or install source materials or any other materials on any computer, including, without limitation, your computer, a local area network, or a web-based computer hosted by Kurzweil Educational Systems, Inc., you hereby acknowledge that you have all of the necessary ownership or licensed rights to load such materials and shall fully indemnify Kurzweil Educational Systems, Inc. from any claims that may arise relating to such actions.



Cambium  
LEARNING®

Technologies

# Table of Contents

---

---

<b>About Kurzweil 3000 .....</b>	<b>1</b>
<b>About this Guide .....</b>	<b>1</b>
<b>Starting and Stopping Kurzweil 3000 .....</b>	<b>2</b>
<b>Automatic Software Updates .....</b>	<b>2</b>
Firewall Settings for Receiving updates .....	2
<b>The Kurzweil 3000 Window .....</b>	<b>3</b>
<b>Toolbars and Palettes .....</b>	<b>4</b>
<b>Menus .....</b>	<b>5</b>
Using the Keyboard to Access a Menu and Select a Menu Item .....	6
<b>Help at Any Time .....</b>	<b>6</b>
<b>Opening and Viewing a Document .....</b>	<b>7</b>
Kurzweil 3000 Supported File Formats .....	7
Additional Viewing Options from the View Menu .....	8
Using the KESI Virtual Printer to Open Documents Created in Another Program .....	8
<b>Navigating in a Document .....</b>	<b>9</b>
<b>Reading .....</b>	<b>10</b>
Basic Reading .....	10
Options on the Audio Menu .....	10
Additional Reading Options .....	11
<b>Using Reference Tools .....</b>	<b>12</b>
Looking Up a Selected Word .....	12
Reading the Web .....	12
Looking Up a Word You Type .....	12

Looking Up Information in Online Encyclopedias and Reference Sites .....	12
Finding a Picture for a Word .....	13
Translating Text .....	13
<b>Reading Web Pages .....</b>	<b>13</b>
<b>Using Study Skills Tools .....</b>	<b>15</b>
Using the Color Highlighter Pens and Circle Tools .....	15
Creating Notes .....	15
Working with Notes .....	15
Creating and Answering Questions in Bubble Notes .....	16
Opening, Hearing and Closing Notes .....	18
Adding and Working with Bookmarks .....	18
Extracting Notes and Highlights .....	18
Extracting Highlights to Create Vocabulary Study Guide .....	19
Additional Annotation Options .....	19
<b>Taking Notes with Column Notes .....</b>	<b>20</b>
Opening, Saving, Replacing and Joining Column Notes Files .....	20
Additional Column Notes Features .....	22
Extracting Highlights to Column Notes .....	23
Using a Single Column Notes File Across Multiple Documents .....	24
<b>Going from Reading to Writing By Extracting Column Notes .....</b>	<b>24</b>
<b>Working with Note Snippets .....</b>	<b>24</b>
<b>Adding and Editing Hyperlinks .....</b>	<b>25</b>
<b>Writing and Editing .....</b>	<b>26</b>
The Writing Toolbar .....	26
Starting Points for Writing .....	26
Adding a Picture to a Document .....	26
Dragging and Dropping Image Text .....	27
Working with an External Text Editor .....	27
Editing Options from the Edit Menu .....	28
Additional Writing and Editing Options .....	28
<b>Using Brainstorm .....</b>	<b>29</b>
Creating a Diagram .....	29
Selecting and Editing Thoughts .....	30
Additional Brainstorm Features .....	30

Adding and Working with Notes .....	30
Switching from Brainstorm to Other Views .....	31
Creating a Draft from Brainstorm .....	31
<b>Using Outline .....</b>	<b>32</b>
Creating an Outline .....	32
Selecting and Editing Outline Text and Topics .....	33
Adding and Working with Outline Notes .....	34
Switching from Outline to Other Views .....	34
Creating a Draft from Outline .....	35
<b>Creating and Working with Drafts .....</b>	<b>35</b>
Creating a Draft .....	35
Switching from Draft to Other Views .....	35
<b>Finalizing a Draft Using the Review Checklist .....</b>	<b>36</b>
<b>Using Writing Support Tools .....</b>	<b>37</b>
Using Spell Check .....	37
Using Word Prediction .....	38
Using Word Lists .....	38
Using Floating Word Lists .....	39
<b>Taking Tests Using Kurzweil 3000 Features .....</b>	<b>41</b>
<b>Managing Documents .....</b>	<b>41</b>
Saving and Printing a Document .....	41
Locating Documents and Files .....	42
Sending a Document to a Recipient Through E-mail .....	42
Creating an Audio File .....	42
Additional File Options from the File Menu .....	43
<b>Using the Universal Library .....</b>	<b>43</b>
<b>Searching for and Downloading Electronic Content .....</b>	<b>44</b>
Searching for E-Content from Web sites .....	44
Searching for Online Magazines .....	44
Opening and Managing Downloaded Files .....	44
<b>Customizing Kurzweil 3000 .....</b>	<b>44</b>
Customizing the Right Mouse Button Menu .....	44
Changing the Reading Dual Highlighting Color Options .....	45

<b>Setting Options in Kurzweil 3000 .....</b>	<b>45</b>
<b>Scanning .....</b>	<b>46</b>
Basic Scanning .....	46
High-Speed Scanning .....	46
Scanning Options from the Scan Menu .....	46
Scanning Options from the Scanning Options Pane .....	47
<b>Preparing Documents .....</b>	<b>49</b>
Changing Reading Order Using the Zone Editor .....	49
Using Override OCR to Convert Unrecognized Text into Readable Zones ..	50
Correcting Recognition Errors Using Edit Underlying Text .....	51
Correcting Pronunciations .....	52
Advanced Pronunciation Operations .....	53
Editing Headers and Footers .....	54
Specifying New First Page or Front Matter .....	54
Cleaning Up Image Documents .....	54
Adding Instructional Notes and Bubble Notes .....	55
<b>Preparing Tests .....</b>	<b>56</b>
<b>Customizing Tests .....</b>	<b>56</b>
<b>Setting Up Word Prediction .....</b>	<b>57</b>
<b>Setting Up Word Lists .....</b>	<b>58</b>
<b>Setting Up Kurzweil 3000 for Language Learning .....</b>	<b>59</b>
<b>Setting Up Picture Dictionaries .....</b>	<b>60</b>
<b>Setting Document Properties .....</b>	<b>62</b>
<b>Keyboard Shortcuts and Function Keys .....</b>	<b>63</b>
<b>Kurzweil 3000 System Default Settings .....</b>	<b>67</b>
<b>Using Kurzweil 3000 Applets .....</b>	<b>71</b>
The Kurzweil 3000 Taskbar .....	71
The Kurzweil 3000 Calculator .....	72
<b>Administration Tasks for Teachers .....</b>	<b>74</b>
Locating User Files .....	74
Obtaining Student Usage Reports .....	74
<b>Index .....</b>	<b>75</b>

## About Kurzweil 3000

Kurzweil 3000 software program offers integrated features that promote and aid students in Read1ng, Studying, and Writing. Based on Universal Design for Learning principles, it provides users with multiple ways to access information and curriculum, and with tools to help them accomplish tasks independently, practice active learning skills, and demonstrate acquired knowledge. For teachers, Kurzweil 3000 offers easy-to-use features that enable them to accommodate a wide range of student learning styles, to quickly respond to intervention requirements, and to follow standardized test taking guidelines.

## About this Guide

This Reference is written for students as well as teacher/administrators, and provides information about the Kurzweil 3000 user interface, common tasks, and important options in condensed format. Where a feature is not available for a product it is noted in the guide. For detailed information on all of Kurzweil 3000 features and functions, go to the Kurzweil 3000 Online Help system.

# Starting and Stopping Kurzweil 3000

## To start Kurzweil 3000:



Kurzweil 3000 Double-click the Kurzweil 3000 icon on the desktop.

## To stop Kurzweil 3000:

Do one of the following:

- From the **File** menu, choose **Exit**.
- Or click **Close**.
- Or press **ALT+F+X**.

## Automatic Software Updates

Whenever you install or launch Kurzweil 3000, the system checks for available software updates. To automatically have the updates installed, check "Turn on Automatic Update" in the General Options dialog. After the installation has completed, Kurzweil 3000 will launch.\*

If you don't have "**Turn on Automatic Update**" checked and updates are found, you will be prompted whether to install the update. You can opt to do one of the following:

- Choose **No** to not install the update and have Kurzweil 3000 launch normally.
- Choose **Don't Ask Me Again** to disable future auto update system checks.
- Choose **Yes** to install the update now. Once the install is complete, Kurzweil 3000 launches.

### Notes:

- Automatic software updates are only enabled for users with Windows administrative privileges. This option is grayed out for users who do not have Windows administrative privileges
- To receive Kurzweil 3000 updates, you may need to customize your Windows Firewall settings to allow Kurzweil 3000 to receive updates through the Firewall.

## Firewall Settings for Receiving updates

For Windows 7, 8, 8.1 and 10:

1. Go to the Windows Control Panel.
2. In the search box, type firewall.
3. From the search results, select Windows Firewall and allow an app or feature through Windows Firewall.
4. In Allowed apps and features, select Kurzweil 3000.


### For Windows XP:

1. Go to the Windows Control Panel.
2. From Security Center in Manage Security Settings, select Windows Firewall.
3. On the exceptions tab, select Add Program and choose Kurzweil 3000.



# The Kurzweil 3000 Window


When you first open Kurzweil 3000, the Kurzweil 3000 tabbed page opens. Along the top of the window you'll see the Main Menu bar. Beneath the Menu Bar is a ribbon of tabbed pages: **Kurzweil 3000**, **Read**, **Write**, and **Scan**:



<b>Kurzweil 3000 Home page (shown in screenshot above)</b>	Access menu bar and ribbon features (tabbed pages for <b>Read</b> , <b>Write</b> and <b>Scan</b> ), Read buttons, Audio toggle, and quick access Option menus. The menu bar, ribbon, and Option menus are available on all the tabbed pages. Additionally on the Kurzweil 3000 page, Read the Tip of the Day, Open recent documents, Open from the Library, Write New Draft, New Brainstorm, and New Outline, and Scan Documents.
<b>Read tabbed Page</b>	Click the <b>Read</b> tab to access frequently used Reading tools.
<b>Write tabbed Page</b>	Click the <b>Write</b> tab to access frequently used Writing tools, including those in the Writing Path.
<b>Scan tabbed Page</b>	Click the <b>Scan</b> tab to access frequently used Scanning tools.
<b>Read buttons</b>	Use these Buttons for reading (stop, start, forward, and backward) and audio control (silent or audible)
<b>Audio Toggle</b>	Click the Audio button to toggle between audible and silent.
<b>Option menus</b>	Quick Access Menus for Audio, Reference, and Online features

# Toolbars and Palettes

Kurzweil 3000 toolbars appear beneath the menu bar at the top of the Kurzweil 3000 Window. The individual **Toolbar Tabs** are named **Kurzweil 3000**, **Read**, **Write**, and **Scan**. The **Kurzweil 3000** tab is the Home page and has several quick access features. The **Read**, **Write**, and **Scan** toolbar tabs each has a set of tools in a **Palette** along the left side of the window; you can point and click on palette buttons to perform frequently used functions. Following is the Read toolbar and palette.



## The Reading Toolbar


The Reading toolbar is displayed by clicking the **Read** tab. On the left it displays buttons for page navigation -- go to the previous and next page, as well as entering a page number in a box that displays the current page number. (You can also type in a page number to jump to that page.) It also contains an Add/Go to Bookmark button, Zoom controls, Display choices (Full page/Thumbnail toggle), and Print.



For more information about using **Reading Tools**, see “Reading” on page 10 and Using the Reading Toolbar in the online help.


## The Writing Toolbar

The Writing toolbar lets you format text you type yourself. Click to go to any of the Writing Path views (Brainstorm, Outline, Split Screen, Draft). When you open the Write tab, it will also display a palette of tools below the toolbar on the left side of the page. See Using the Writing Toolbar in the online help for details.



## The Scanning Toolbar

The Scanning toolbar includes buttons to open the Scanner Setup dialog, Zone Editor dialog, and Header/Footer dialog. When you open the Scan tab, it will also display a palette of tools below the toolbar on the left side of the page. See Using the Scanning Toolbar in the online help for details.



## Menus

For mouse users, menus in Kurzweil 3000 are located along the top of the application window. In many instances, Right Mouse Button menus are available by pressing the right mouse button. Keyboard users can use the following procedure for quick access to menu items, and where available, Kurzweil 3000 offers keyboard shortcuts for performing actions.

## Using the Keyboard to Access a Menu and Select a Menu Item

1. Press the **ALT** key, then press the desired menu letter key. For instance, to open the **File** menu, press **ALT+F**.
2. Press the letter key for the menu item you want. For example, in the **File** menu, press **C** to **Close** a file.
3. You can use the **Up/Down** arrow keys to navigate the menu items; use the **Right** arrow key to go to a submenu, and use the **Left** arrow key to go back to a menu item from its submenu. To activate the menu item you want, press **ENTER**.

**Note:** some menu items open dialog boxes. Use **TAB** and **SHIFT+TAB** to navigate through the items in the dialog. Use the **ENTER** key for **OK** and the **ESC** key to cancel.

**To close a menu without making a selection, press ESC.**

## Help at Any Time

### To access Kurzweil 3000 comprehensive online Help pages:

Click the **Help** icon on the **Main** toolbar or press the **F1** key.

In dialog boxes, click the **Help** button.

### To search Help pages:

Type the search text in the **Search text box** and click **Search**.



Or click **Index** and then the first letter of your desired topic.

### To find product documentation in PDF:

Open the **Documentation** folder on the product DVD or go to the Download Product Guides page at <https://www.kurzweiledu.com/product-guides.html>.

## Opening and Viewing a Document

You can work with virtually any kind of document in Kurzweil 3000: **image** documents that you scan into Kurzweil 3000, documents that you open from another application or open using the KESI Virtual Printer, and **text** documents.

### Kurzweil 3000 Supported File Formats

Kurzweil 3000 allows you to open the following file formats:

- Kurzweil 3000 and Kurzweil 1000 (.KES) text and image
- Text File (.TXT)
- Rich Text Format (.RTF)
- Microsoft Word files (.DOC)
- Microsoft Office 2007 (.DOCX)
- Image Files (.TIF, .BMP, .JPG)
- Portable Document Format (.PDF)
- DAISY (.OPF)
- Compressed DAISY (.BKS)
- NIMAS (.OPF)
- EPUB (.EPUB)
- HTM, HTML, XML (.HTM, .HTML, .XML)

### PDF Notes:

- You must select an OCR engine that supports PDF to open PDF files directly in Kurzweil 3000.
- Also, you can specify page range to recognize, start and stop recognition, and interrupt and resume recognition at a later time by saving the PDF file in KES format and reopening it.
- Kurzweil 3000 preserves bookmarks if they exist in the original PDF file.
- Opening a PDF in Kurzweil 3000 requires conversion to KES format, therefore, it may take a bit longer to open.

### DAISY Notes:

- Kurzweil 3000 retains DAISY bookmarks in the Bookmarks dialog.
- In Kurzweil 3000, DAISY 2.02 documents provide text and navigation, however, you cannot read them. You can save any file to audio DAISY 2. DAISY 3 documents provide text and navigation and are readable. You can save any file to DAISY 3.

**NIMAS Note:** When opening NIMAS .OPF files, Kurzweil 3000 uses a converter which saves them as .KES files that you can then read. You will see a separate dialog for indicating input/output files and locations along with several options.

**To open a document:** Click the **Open** button in the **Reading tools palette** or choose **Open** from the **File** menu. In the **Open** dialog, navigate to and open the desired file. You can also select **Open from Library** and **Open from Google Drive**. See *Opening an Existing File* from the Online Help for more information.

**To view multiple documents at once:** From the **Windows** menu, select one of the following: **Cascade**, **Tile Horizontally** or **Tile Vertically**.

## Additional Viewing Options from the View Menu

<b>Fit To</b>	Specify how an image file is displayed in the document area.
<b>Rotate</b>	Rotate an image file 90° left or right, or turn it upside down.
<b>Thumbnails</b>	Display a thumbnail of the current page at the right side of the document area, or display the entire document as thumbnails in various sizes.
<b>Page View</b>	Set to <b>Remember</b> the page fit and zoom level selections for an image document. Save the document with the page view settings before closing it.
<b>Annotations</b>	Display or hide Notes, including Bubble Notes, Voice Notes, Highlighting, and Bookmarks in image documents.
<b>Magnify Spoken Word</b>	Display the current word in a separate magnifier window.

### Using the KESI Virtual Printer to Open Documents Created in Another Program

**To use the KESI Virtual Printer for file formats not supported by Kurzweil 3000, you must:**



- Have the application that can open the file and that application must have the Print function.

**To open other file formats using the KESI Virtual Printer:**

1. Open the program that was used to create the document you want to open.
2. Open the document.
3. In the program's **Print Setup** or **Print** dialog, select **KESI Virtual Printer**.
4. Choose **Print**. Kurzweil 3000 launches and displays the image document.

**To reproduce a document in color when using the KESI Virtual Printer:** In the **Print Setup** or **Print** dialog, select **Color**.









## Navigating in a Document

<p><b>Use the Page buttons in the Reading toolbar to go to a page</b></p>	<p>Click the <b>Page</b> box, and type the page number you want to go to.</p>  <p>Or click the Prev or Next arrow to move page by page. If you have bookmarked a page, click the <b>Bookmark</b> button and choose the bookmark to navigate to.</p>
<p><b>Use the Thumbnail button on the Reading toolbar to display a thumbnail view of the pages, then click the page you want to go to.</b></p>	<p>Click the <b>Thumbnail</b> button to display thumbnail views of the pages in the document. Click the thumbnail of the page you want to go to.</p> 
<p><b>Use the View menu to go to specific pages</b></p>	<p>From the <b>Page</b> submenu, select a specific page, <b>First</b>, <b>Last</b>, <b>Next</b>, <b>Previous</b>. Or choose <b>Go To</b> and type the page number.</p>
<p><b>Use keyboard keys to go to the Next, Previous or specified</b></p>	<p>Next page: press <b>CTRL+E</b>. Previous page: press <b>CTRL+ R</b>. Go to page: press <b>CTRL+G</b>.</p>
<p><b>Use Bookmarks</b></p>	<p>Create Bookmarks, then use <b>Go to Bookmark</b>. See “Adding and Working with Bookmarks” on page 18.</p>

# Reading

## Basic Reading

Click inside an open document, then on the toolbar, click:.


	to <b>Start Reading</b> .
	to <b>Pause Reading</b> .
 then 	to <b>Read previous reading unit</b> .
 then 	to <b>Read next reading unit</b> .
 	to switch between <b>Reading audibly or silently</b> .

As Kurzweil 3000 reads, it uses “dual highlighting,” one color for highlighting the current word and the other color for highlighting the current reading unit.

**Note:** You can change the dual highlighting colors in the **Tools Options** dialog, under the **Text** pane. See “Changing the Reading Dual Highlighting Color Options” on page 45.

## Options on the Audio Menu

The Audio menu (ALT+A) is one of three menus on the Toolbar





<b>Reading Speed</b>	Specify the speed with which you want to read.
<b>Reading Voice</b>	Specify the voice that you want to hear reading.
<b>Reading Mode</b>	Specify how you want Kurzweil 3000 to read
<b>Reading Units</b>	Specify how much text to highlight as Kurzweil 3000 is reading
<b>Reading Language</b>	Specify the language


Note: These settings are also available from the Read menu.

### Additional Reading Options

<b>From the View menu:</b>	
<b>Magnify Spoken Word</b>	Display the current word being read in a separate magnifier window.
<b>From the Reading Options pane (see “Setting Options in Kurzweil 3000” on page 45):</b>	
<b>Language list</b>	Select other reading languages.
<b>Speaker list</b>	Change reading voices.
<b>Pause at Empty Notes</b>	Use in conjunction with Text Notes in Fill in the Blanks tests.
<b>Highlight Spoken Word</b>	Highlight or not highlight words as Kurzweil 3000 reads.
<b>From the Text/Image Options pane (see “Setting Options in Kurzweil 3000” on page 45):</b>	
<b>Change highlight colors</b>	For text documents, click the <b>Text</b> icon to open the <b>Text Options</b> pane, and select the desired color combination from the <b>Reading Colors</b> list. For image documents, click the <b>Image</b> icon to open the <b>Image Options</b> pane, and select the desired colors from the <b>Word</b> and <b>Unit Colors</b> lists.

## Using Reference Tools

The Reference Menu (ALT+C) is one of three menus on the Toolbar. You can also find these on the menu bar's Reference menu.



### Looking Up a Selected Word

Select a word in a document; next, click the desired choice on the menu to hear:

- Definition
- Synonyms
- Syllables
- Picture
- Human Pronunciation

### Reading the Web


Click **Read the Web** to open your browser displaying the Kurzweil 3000 Read the Web Toolbar

### Looking Up a Word You Type

From the **Reference** menu on the menu bar, choose **Look Up Word I Type**, type the word, then click the desired choice on the **Reference** menu on the toolbar or use the **Reference** menu.


### Looking Up Information in Online Encyclopedias and Reference Sites

You must have Internet connection to look up information from Online reference sites. The Online menu (ALT+L) is one of three menus on the toolbar.



1. Select a word or phrase that you want to lookup.

2. From the **Online** menu, select **Online Reference**. The Online Reference Lookup dialog is displayed.
3. In the **Online Reference Lookup** dialog, select a **Search Site** from the list, then click **Search**:



Note that you can also choose **Online Reference** from the Online menu and when the **Online Reference Lookup** dialog is displayed, type a word or phrase in the Search For field.

## Finding a Picture for a Word

Kurzweil 3000 comes with the K3000 Picture Dictionary, a library of over 1300 illustrations and photos, but it also supports other picture dictionaries such as Mayer-Johnson PCS dictionary, Wigit Picture Dictionary, and Vcom3D American Sign Language (ASL) animated GIF dictionary that you can set up. See “Setting Up Picture Dictionaries” on page 60.

## Translating Text

The Translate feature, with over half a dozen languages, lets you translate text on demand.

1. Choose **Translate** from the **Online** menu to open the **Translation** dialog. If you selected text, it would appear in the left pane.
2. From the **To** list, select the language you want to translate the text to.
3. Click **Translate**. The translated text appears in the right pane.
4. Click **Read. Open as a Document** places the translation in a new document.


## Reading Web Pages

The **Read the Web** feature lets you read Web sites using Kurzweil 3000 and one of two browsers: the latest version of Internet Explorer, or Mozilla Firefox. While reading the Web, you have access to Kurzweil 3000 reading and reference tools. If you want to use Mozilla Firefox, see Online Help or the Installation Guide.

Kurzweil 3000 includes Design Science MathPlayer™ to support Mathematical Mark Up Language (MathML). When using Read the Web in Internet Explorer you can read Mathematical notation.

### To read Web site content:

1. Click the **Read the Web** on the Reference menu on the toolbar, or from the **Read** menu, select **Read the Web**.  
The Web browser opens and connects to your home page. In Internet Explorer, the Kurzweil 3000 **Read the Web** toolbar appears at the bottom of the browser. In Firefox, the **Read the Web** toolbar appears below the browser toolbars.
2. Click the **Read** button to begin reading.
3. Look up a word by selecting it, then clicking the desired Look Up button in the toolbar.  
Change **Reading Mode**, **Read By Unit**, and **WPM Reading Speed**.

**Magnify the current word** by clicking the  button. (Internet Explorer only.)

**To read Math and Science notation in Internet Explorer:**

Be sure you have Read the Web enabled and you are using Internet Explorer (see note below). Left-click the notation. Kurzweil 3000 reads the notation. At any time, you can click again to re-read it or click elsewhere to stop reading it.

A Right Mouse Button menu is also available and includes **Zoom** and **Copy**.

**NOTES:**

- MathML works only with Windows 7 or earlier and Internet Explorer versions 8, 9 and 11. It is not supported by Windows 8, Windows 10, Internet Explorer 10, or by Firefox.
- For Windows 7 64-bit systems, the Internet Explorer Add-ons, KESIReaderBHO Class and MathPlayerBrowserHelperObject, should be enabled.

The first time Internet Explorer is launched to Read the Web, a dialog box asking to choose add-ons will appear. Select the **Enable** button.

If the add-ons are disabled, the Read the Web toolbar and/or the MathPlayer will not display.

To enable the add-ons at a later time, go to the Internet Explorer (64-bit) Tools Manage Add-ons dialog, under Cambium Learning, find the KESIReaderBHO Class row. Under Design Science Inc, find the MathPlayerBrowserHelperObject row. In its Status cell, set the value to Enabled, then Close the dialog.


## Using Study Skills Tools

**Note:** In Kurzweil 3000, the term “annotations” is used to encompass most of the Study Skill tools.

### Using the Color Highlighter Pens and Circle Tools


To:	Do the following:
<b>Highlight or circle text</b>	Select the text to highlight or circle, then click the desired color <b>Highlighter</b> pen or <b>Circle</b> tool in the <b>Tools Palette</b> . Or click the color <b>Highlighter</b> or <b>Circle</b> tool first then select the text.
<b>Erase highlights or circles</b>	Select the text that has color highlighting or circling, then click the <b>Eraser</b> in the <b>Tools Palette</b> . Or click the <b>Eraser</b> first then select the highlighted or circled text.
<b>Find highlighted or circled text</b>	Open the <b>Edit</b> menu, select <b>Object</b> from the <b>Find</b> submenu. In the <b>Find Object</b> dialog, select <b>Highlight</b> . Click <b>Find</b> .

### Creating Notes

To:	Do the following:
<b>Create a Sticky Note or a Text Note</b>	Sticky and Text Notes are available only in image documents. Click the <b>Sticky Note</b> button on the <b>Tools Palette</b> . Or open the Tools menu on the menu bar, click <b>Notes</b> and choose <b>Add Sticky Note</b> or <b>Add Text Note</b> . Click in the text where you want to place the note. Type in the note, click outside the note when you are finished.
<b>Create a Footnote</b>	Click in the document where you want to place the Footnote marker. Click the <b>Footnote</b> button on the <b>Tools Palette</b> . In an image document, a number marker appears in the note location and the Footnote window opens. In a text document, the text closest to the note changes to blue underlined text and a number appears next to the note. Type in the <b>Footnote</b> window.  When you are finished, click the <b>Close Footnote</b> button  in the <b>Tools Palette</b> .
<b>Create a Voice Note</b>	Click the <b>Voice Note</b> button on the <b>Tools Palette</b> . Click in the document where you want to place the Voice Note. (In a text document, click in front of the word where you want to place the note.) In the <b>Voice Note</b> window, click <b>Record</b> (microphone), then begin recording. Click <b>Stop</b> when you are done. To attach a pre-recorded WAV file, click <b>Open</b> . Navigate to the file and click <b>Open</b> again.

### Working with Notes

To:	Do the following:
<b>Move a Sticky or Text Note using the mouse</b>	Point to the border of the note to see a four-pointed compass. With the compass cursor showing, click and drag the note to a new location.

<b>Move a Sticky or Text Note using the keyboard</b>	<b>TAB</b> to the desired note. Press the <b>Menu</b> key to display the <b>Note</b> Right Mouse Button menu. Press the <b>Down Arrow</b> until <b>Move Note</b> is highlighted, then press <b>ENTER</b> to select. Use the <b>Arrow</b> keys to reposition the note. If you need to cancel, press <b>ESC</b> key.
<b>Move a Footnote marker</b>	Works in image documents only. Click and hold on the <b>Footnote</b> marker, then slowly drag it to its new location on the same page.
<b>Resize a Sticky or Text Note using the mouse</b>	Point to the right-hand border of the note to see a two-pointed, left-right arrow cursor. With the cursor showing, click and drag the note to a new size.
<b>Resize a Sticky or Text Note using the keyboard</b>	<b>TAB</b> to the desired note. Press the <b>Menu</b> key to display the <b>Note</b> Right Mouse Button menu. Press the <b>Down Arrow</b> until <b>Resize Note</b> is highlighted, then press <b>ENTER</b> to select. Use the <b>Arrow</b> keys to reposition the note. If you need to cancel, press <b>ESC</b> key.
<b>Edit Sticky or Text Notes or Footnotes</b>	You can cut, copy, drag and drop, and paste text between documents and Notes. Click inside a Sticky or Text Note, or double-click on the Footnote marker to open the Note. Edit the text; word processing functions work in Notes. When finished, click outside the Sticky or Text Note. For a Footnote, click the <b>Close</b> button  on the <b>Tools Palette</b> or press <b>ESC</b> .
<b>Switch between a Sticky and a Text Note</b>	Click the right mouse button in a Sticky or Text Note to open the Note menu. Select <b>Sticky Note</b> or <b>Text Note</b> .
<b>Find Notes</b>	Open the <b>Edit</b> menu, select <b>Object</b> from the <b>Find</b> submenu. In the <b>Find Object</b> dialog, select the type of Note you are looking for. Click <b>Find</b> .
<b>Delete a Note</b>	Click on the Note, <b>Note</b> marker or <b>Note</b> anchor. Click the <b>Delete</b> button in the <b>Notes menu</b> (right click in the Note to display). Click <b>Yes</b> to confirm.
<b>Remove multiple Notes from an image document</b>	Applies to Sticky, Text and Voice Notes. From the <b>Edit</b> menu, select <b>Image Selector</b> . Click and drag the crosshair cursor to draw a box completely enclosing all of the Notes you want to remove. Press the <b>Delete</b> key. Click <b>Yes</b> to confirm.

## Creating and Answering Questions in Bubble Notes

### To create a Bubble Note:

1. Click a location in the text where you want to place the Note.
2. From the **Tools** menu, click **Notes**, then choose **Add Bubble Note**.
3. In the **Bubble Note** dialog, type your note in the text area. Click **OK**.

### To edit a Bubble Note:

Select the **Bubble Note** marker, right-click to open the Right Mouse Button menu, or from the **Tools Note** submenu, choose **Edit Bubble Note**.

**To select or type in answers:**

<b>For Multiple Choice Radio Buttons</b>	Click in the circle.
<b>For Multiple Choice Check Boxes</b>	Click in the box.
<b>For Matching Answers</b>	In the left-hand column click the item you want. A line appears. Drag the line to the correct answer in the right-hand column.
<b>For Text Answers</b>	Click inside the text box, then type.

## Opening, Hearing and Closing Notes

<b>Text or Sticky Note</b>	Click inside the note, then click the <b>Read</b> button. To close, click outside the Note.
<b>Footnote</b>	Double-click its anchor; Kurzweil 3000 automatically reads. To close, click the <b>Close</b> button in the <b>Footnote</b> window. You can set up Footnotes to automatically read upon opening, the option must be selected in the Reading Options. See “Setting Options in Kurzweil 3000” on page 45.
<b>Bubble Note</b>	Double-click its purple question mark anchor (image document) or purple underlined text (text document). Kurzweil 3000 automatically reads. To close, click <b>OK</b> .
<b>Voice Note</b>	Double-click its anchor, Kurzweil 3000 automatically reads. To close, click <b>OK</b> .

## Adding and Working with Bookmarks

<b>To:</b>	<b>Do the following:</b>
<b>Open the Bookmark dialog</b>	Click the <b>Bookmark</b> button on the toolbar.
<b>Add a Bookmark</b>	Click in the document where you want to place the bookmark. Open the <b>Bookmark</b> dialog, type the description, then click <b>Add</b> .
<b>Sort Bookmarks</b>	Open the <b>Bookmark</b> dialog, click to sort by <b>Alphabetic</b> or <b>Reading</b> order.
<b>Go to a Bookmark</b>	Open the <b>Bookmark</b> dialog, click on the description of the Bookmark that you want to go to, then click <b>Go To</b> .
<b>Delete a Bookmark</b>	Open the <b>Bookmark</b> dialog, click on the desired description Bookmark, then click <b>Delete</b> .
<b>Search for Bookmarks:</b>	From the <b>Edit</b> menu, select <b>Object</b> from the <b>Find</b> submenu. In the <b>Find Object</b> dialog, select <b>Bookmark</b> , then click <b>Find</b> .

## Extracting Notes and Highlights

The Extract Notes and Highlights feature allows you to pull out highlighted or circled text, and contents of Notes and Bookmarks into a new text document.

### Notes:

- You can opt to extract all or any combination of notes and highlights.
- Outline Styles allow you to extract highlighted text into outline format. Highlighted text can also be extracted to Column Notes; for more information, go to “Extracting Highlights to Column Notes” on page 23.

### To extract notes and/or highlights:

1. With the document containing the annotations you want to extract open, go to the **File** menu, choose **Extract**. From the **Extract** submenu, select **Notes and Highlights**.
2. In the dialog, select the notes and/or highlights you want to extract.  
For Notes, specify the Note types you want: **Footnotes**, **Bubble**, **Sticky** or **Text Notes**.  
For Bookmarks, select **Bookmarks**.  
For Highlights, select **Highlights**.
3. Select an **Outline Style: Numeric, Legal, Bullets, Roman Numerals, Alpha Numerals, No Prefix**, or **Custom**.
4. Click **OK**.



## Extracting Highlights to Create Vocabulary Study Guide

This feature allows you to highlight words in a document then extract those words to create a vocabulary study guide showing the words and their definitions.

1. With the document open, choose a highlight color from the **Tools** menu and highlight the words of interest.
2. With the document containing the highlights you want to extract open, go to the **File** menu, choose **Extract**. From the **Extract** submenu, select **Extract Highlights to Create Vocabulary Study Guide**. The **Open Column Notes** dialog pops up.
3. Select whether to **Open a new notes file** or to **Open an existing notes** file.
4. Click **OK**. The Note file opens at the bottom of the page that contains the highlighted words and displays the words and their definitions.

## Additional Annotation Options


<b>Show or Hide Annotations.</b>	In the document, open the <b>View</b> menu, select <b>Annotations</b> , then from its submenu, click the annotation type to show or hide.
<b>Print highlighted or circled text.</b>	In the document, open the <b>File</b> menu and choose <b>Print</b> . In the <b>Print</b> dialog, click <b>Highlighted Text</b> . Click <b>Highlight Setup</b> to open the Print Highlighted Text dialog. In the <b>Print Highlighted Text</b> dialog, deselect the check box of any color highlight or circle you do not want to print. Select <b>Insert Blank Lines when Extracting Highlights</b> . Click <b>OK</b> to return to the <b>Print</b> dialog. Click <b>Print</b> .
<b>Change the captions for the different color highlighters.</b>	From the <b>Tools</b> menu, open the <b>Options</b> dialog. Click <b>Highlighters</b> from the list of Options panes. In the <b>Highlighters Options</b> pane, edit captions, then click <b>OK</b> .
<b>Change Font properties, Reading order and other options for Sticky and/or Text Notes.</b>	For the current document: From the <b>File</b> menu, open the <b>Properties</b> dialog. Make the changes you want, then click <b>OK</b> . For all default Sticky and Text Notes: From the <b>Tools</b> menu, select <b>Notes</b> , then from its submenu select <b>Default Note Options</b> . Make the changes you want, then click <b>OK</b> .
<b>Set up Footnotes to automatically read upon opening.</b>	From the <b>Tools</b> menu, open the <b>Options</b> dialog. Click <b>Reading</b> from the list of Options panes. In the <b>Reading Options</b> pane, select <b>Read Footnotes when Opened</b> , then click <b>OK</b> .
<b>Set up for Kurzweil 3000 to pause at each Bookmark.</b>	From the <b>Tools</b> menu, open the <b>Options</b> dialog. Click <b>Reading</b> from the list of Options panes. In the <b>Reading Options</b> pane, select <b>Pause at Bookmarks</b> , then click <b>OK</b> .

## Taking Notes with Column Notes

Based on the Cornell note taking system, Kurzweil 3000 Column Notes is ideal for:

- Taking notes while reading and doing research across documents.
- Taking in-class and lecture notes.
- Reviewing or studying notes.
- Writing: go directly to the Outline feature by using **Extract Column Notes to Outline** from the **File** menu.
- Vocabulary building: place words in Column 1, definitions in Column 2, and create sentences in Column 3.

The default Column Notes file opens at the bottom of the Kurzweil 3000 document window and contains a table with three columns.



The first column is for “Main Ideas,” key words or even questions. The second column is for the details that support each main idea, and the third is for additional thoughts or source information. You can:

- Cover the second column as a way to hide details as you study.
- Hide the third column to make it easier to view and work in two-column mode.

Column Notes files are independent of documents, with its own file extension, .k3c, allowing you to gather and work with one set of notes across multiple documents.

While in Column Notes, you can use:

- Editing features including Undo, Cut/Copy/Paste, Word Prediction and Spell Check.
- All Reading functions including Word lookup and Speak While Typing.

In addition, you can use Color Highlighters or Circles to note important text in a document, then **Extract Highlights to Column Notes** for an easy way to collect your notes. See “Extracting Highlights to Column Notes” on page 23.

### Opening, Saving, Replacing and Joining Column Notes Files

Column Notes files are separate files and independent of any document. They have the file extension, .K3C.

**To open a New Column Notes file** (with/without a document open), do one of the following:

Click the **Column Notes** button in the **Tools Palette**, and choose **Open a New Notes File**.

Or from the **Tools** or **File** menu, select **Column Notes**, then choose **New Column Notes**.

**To open an existing Column Notes file** (with/without a document open) do one of the following:

- Click the **Column Notes** button, then choose **Open an Existing Notes File**.
- From the **Tools** menu, select **Column Notes**, then choose **Open Column Notes**.
- Click the **Open** button.
- From the **File** menu, choose **Open**.

In the **File Open** dialog, find and select the Column Notes file you want.

**To Save or Replace Column Notes file:**

Column Notes are separate files from regular documents, and must be saved separately. When using any of the Save features, first click inside the Column Notes window to ensure that it is the active window, then do one of the following; otherwise, Kurzweil 3000 will save the main document that is in the window.

<b>To:</b>	<b>For new Notes file from Blank:</b>	<b>For Existing Notes file:</b>
Save: Click <b>Save</b> button. Or choose <b>Save Column Notes</b> from <b>Tools Column Notes</b> submenu. Or choose <b>File Save</b> .	Opens <b>Save As</b> dialog. Name the new file.	Saves changes to the current file.
Save As: Choose <b>Save Column Notes As</b> from <b>Tools Column Notes</b> submenu. Or choose <b>File Save As</b> .	Opens <b>Save As</b> dialog. Name the new file.	Opens <b>Save As</b> dialog. enter the name for the new file.
Replace: Choose <b>Save Column Notes As</b> from <b>Tools Column Notes</b> submenu. Or choose <b>File Save As</b> .	Opens the <b>Save As</b> dialog. 1. In the <b>Save As</b> dialog, find and select the name of the Column Notes file you want to replace with the new notes, then click <b>Save</b> . 2. In the next <b>Save</b> dialog, click <b>Yes</b> .	Opens the <b>Save As</b> dialog. 1. In the <b>Save As</b> dialog, find and select the name of the Column Notes file you want to replace with the new notes, then click <b>Save</b> . 2. In the next <b>Save</b> dialog, click <b>Yes</b> .
Close: Click <b>Close</b> button either for document or for Column Notes window.	A message asks if you want to save. Answering <b>Yes</b> opens the <b>Save As</b> dialog. See any of the above.	A message asks if you want to save. Answering <b>Yes</b> opens the <b>Save As</b> dialog. See any of the above.

## To Join Column Notes files:


As you take notes across different documents and sources, you can combine different Column Notes files into one file. When you join two files, Kurzweil 3000 appends the notes in the open Column Notes to a selected Result File.


1. Open a Column Notes file that you want to append to another Column Notes file.
2. Click inside the Column Notes window to activate it.
3. Do one of the following:
  - From the **Tools** menu, select **Column Notes**, then choose **Join Column Notes**.
  - From the **File** menu, choose **Join**.
4. In the **Join Column Notes** dialog, **Browse** for and select the name of the **Column Notes** file to which you want to append the open Notes. The file name appears in the Result File box.
5. Click **Join**.

## Additional Column Notes Features

To:	Do the following:
<b>Move around in Column Notes</b>	<b>Up</b> or <b>Down Arrow</b> key moves the cursor up or down a cell in a column. <b>TAB</b> or <b>Right Arrow</b> key moves the cursor to next/right cell. <b>SHIFT+TAB</b> or <b>Left Arrow</b> key moves the cursor back/left cell.
<b>Enter and edit text</b>	Click in a cell and type and edit. <b>Cut/Paste</b> or <b>drag and drop</b> text into a cell. <b>Copy/Paste</b> or press <b>CONTROL</b> key while <b>dragging and dropping</b> text. <b>CTRL+Z</b> to Undo changes (does not affect column and window resize).
<b>Show or hide third column</b>	Open the <b>Column Notes Right Mouse Button</b> menu. Choose <b>Hide/Show 3rd Column</b> .
<b>Cover second column</b>	Open the <b>Column Notes Right Mouse Button</b> menu. Choose <b>Cover/Show 2nd Column</b> .
<b>Resize column width</b>	Hover on the inside bolded border of the column until the pointer appears as a horizontal arrow, then drag (right/left) and release at the desired width.
<b>Resize Column Notes window</b>	Hover at the top of the Column Notes window until the pointer appears as a vertical arrow, then drag (up/down) and release at the desired height.
<b>Print Column Notes</b>	Click inside the <b>Column Notes</b> window, then from the <b>File</b> or <b>Right Mouse Button</b> menu, choose <b>Print</b> . (Contents in Covered 2nd columns and Hidden 3rd columns do not print.)
<b>Zoom, Edit Headers, Insert/Delete Rows</b>	Open the <b>Column Notes Right Mouse Button</b> menu, then choose the option you want.
<b>Bring notes into Outline in the Writing Path</b>	Open the <b>Column Notes Right Mouse Button</b> menu. Choose <b>Extract to Outline</b> .
<b>Copy Column Notes to Word</b>	Open the <b>Column Notes Right Mouse Button</b> menu. Choose <b>Copy to Clipboard for use in MS Word</b> .
<b>Copy Column Notes to Excel</b>	Open the <b>Column Notes Right Mouse Button</b> menu. Choose <b>Copy to Clipboard for use in MS Excel</b> .

## Extracting Highlights to Column Notes

1. In a document, use the **Color Highlighter** tools from the **Tools Palette** or from the **Tools** menu to highlight the different types and levels of information you want to collect. For instance, Yellow highlighter for main ideas, Green for sub-ideas, and Blue for details. See "Using the Color Highlighter Pens and Circle Tools" on page 15.
2. Click the **Column Notes** button  in the **Tools Palette** or select **Column Notes** from the **Tools** menu.
3. In the **Open Column Notes** dialog, select either to create a **Blank Column Notes** file or to open an **Existing Column Notes** file.
4. From the **File** menu, choose **Extract Highlights to Column Notes**.
5. Specify the column number to which you want the text of a particular color highlight to fill: Column 1, 2 or 3. Other numbers are not valid.



6. Click **OK**.  
Kurzweil 3000 fills the Column Notes cells according to reading order and to the column numbers you specified.
7. **Save** the Column Notes file.  
If you do not want the currently highlighted text to be extracted the next time you use Extract Highlights to Column Notes, Erase the highlights and Save the document.

## Using a Single Column Notes File Across Multiple Documents

Use this method to take notes across different documents or chapters in a book.

1. Open the Column Notes file to which you want to place the information. (If the file doesn't already exist, create it.)
2. Open the document from which you want to collect information.
3. Take your notes from this document by typing, Extracting highlighted text, Copying/Pasting and/or dragging/dropping into the Column Notes file.
4. Save the Column Notes file. (You also may close the Column Notes file at any time.)
5. Close (and Save) the current document.
6. Repeat until you have finished your research.
7. If you are going on to write a draft, use **Extract Column Notes to Outline** as a starting point. See "Going from Reading to Writing By Extracting Column Notes" on page 24.

## Going from Reading to Writing By Extracting Column Notes

Extract Column Notes to Outline, accessible from the File and the Column Notes Right Mouse Button menus, enables you to bring your notes from your research and reading directly into the Writing Path. To work with the Outline feature, see "Using Outline" on page 32.

1. Take notes using **Column Notes**. Consider using Extract Highlights to Column Notes. (See "Extracting Highlights to Column Notes" on page 23.)
2. Either open the **File** or the **Column Notes Right Mouse Button** menu
3. Choose **Extract Column Notes to Outline**.  
The notes appear in Outline mode.

## Working with Note Snippets

A Note Snippet is a floating window that displays the contents of a Column Notes file in read-only mode, and in hierarchical format. Note Snippets are only available when a text document is open, and are not available in Outline. The Note Snippets window is a handy companion when you are writing in Kurzweil 3000 as it keeps main ideas and notes accessible. You can easily Copy/Paste or drag and drop text from the Note Snippets window.

### To open Column Notes in Note Snippets:

1. Open a text document - using the **New** button is fine.
2. Choose Note Snippets from the **Tools** menu.
3. In the **Open Note Snippet** dialog, select the name of the **Column Notes** file you want to display, then click **Open**.

### To view sub-ideas in the Note Snippet window:

If a Main Idea has sub-ideas and other details, you can:

**Show** them by clicking the + (plus) sign.

**Hide** them by clicking the – (minus) sign.

Or by double-clicking on the line of text.

## Adding and Editing Hyperlinks

Hyperlinks are handy for keeping references near related topics. When you are studying or writing, you can go back to source material and information. For writing assignments, embedding hyperlinks to source or related information can help your reader understand the material. Kurzweil 3000 provides three types of hyperlinks: Web Page, File and Link within this document.

In text documents, the hyperlinked text is underlined and in blue. In image documents, the hyperlinked text is underlined.


<b>To:</b>	<b>Do the following:</b>
<b>Open the Add/Edit Hyperlinks dialog.</b>	From the <b>Tools</b> menu. By clicking the <b>Hyperlink</b> button in the Tools Palette. By opening the Right Mouse Button menu in a document.
<b>Add a hyperlink to a Web page.</b>	If you want to copy the Web page address, copy it from the Web browser. Open the Kurzweil 3000 document in which you want to add the hyperlink. Click where you want to place the hyperlink. Open the <b>Add/Edit Hyperlink</b> dialog. The <b>Description</b> box should contain the text in the document closest to the location of the cursor where the hyperlink is to be placed. Select the <b>Web Page</b> option (the default). In the <b>Link To</b> box, type or paste the Web page address. Click <b>Add</b> .
<b>Add a hyperlink to a file.</b>	Click where you want to place the hyperlink in the document. Open the <b>Add/Edit Hyperlink</b> dialog. The <b>Description</b> box should contain the text in the document closest to the location of the cursor where the hyperlink is to be placed. Select the <b>File</b> option. A <b>Browse</b> button appears next to the <b>Link To</b> box. Click <b>Browse</b> , navigate to and select the file you want to link to. The file pathname should appear in the <b>Link To</b> box. Click <b>Add</b> .
<b>Add a hyperlink within the same document.</b> This option is not available when adding a hyperlink in Footnotes.	In the document, go to the location where you want to link to, and click. Add a bookmark: from the Right Mouse Button menu choose <b>Add Bookmark</b> or press <b>CTRL+F12</b> . Specify a Bookmark description. In the same document, go to and click where you want to place the hyperlink. Open the <b>Add/Edit Hyperlink</b> dialog. The <b>Description</b> box should contain the text in the document closest to the location of the cursor where the hyperlink is to be placed. Select the <b>Link within this document</b> option. A <b>Locate</b> button appears next to the <b>Link To</b> box. Click <b>Locate</b> , select the Bookmark description you want to link to. Click <b>Add</b> .
<b>Undo.</b>	<b>CTRL+Z.</b>
<b>Edit a hyperlink.</b>	Click the hyperlink text or marker, open the Right Mouse Button menu, then choose <b>Add/Edit Hyperlink</b> . Make the change(s) you want and click <b>Modify</b> .
<b>Save in KES format.</b>	You may lose the hyperlinks if you save the document in other formats.

## Writing and Editing





Kurzweil 3000 editing writing and editing features follow the majority of standard word processing functions, such as **CTRL+X** for Cut, **CTRL+V** for Paste, double-click to select a word, triple-click to select a sentence.

### The Writing Toolbar

When working with a text document, click the **Write** tab to display the **Writing** toolbar for easy access to frequently used text editing and formatting tools.



### Starting Points for Writing

<b>Start Writing.</b> 	In the <b>Writing Tools Palette</b> , click the <b>New Draft</b> button. Begin writing.
<b>Create new text/Draft document.</b> 	Do one of the following: In the <b>Kurzweil 3000 tabbed page</b> , click the <b>New Draft</b> button. From the <b>Write</b> menu or <b>File</b> menu, select <b>New Draft Blank</b> . Begin writing.
<b>Create new document from Template.</b>	From the <b>Write</b> menu, select: <b>New from Template.</b> Or <b>New Outline from Template.</b> Or <b>New Draft from Template.</b> Begin writing by replacing the instructions with your own text. For details, see: Working with Brainstorm diagrams, “Creating a Diagram” on page 29. Working with Outline documents, “Creating an Outline” on page 32. Working with Draft documents, “Creating a Draft” on page 35.
<b>Start new Brainstorm diagram.</b> 	From the <b>Write</b> menu or the <b>File</b> menu, select <b>New Brainstorm Blank</b> . Or from the Kurzweil 3000 tabbed page click the New Brainstorm button. Begin writing from a diagram by clicking the <b>Split Screen</b> button, and writing in the right-hand <b>Draft</b> pane.
<b>Start new Outline document.</b> 	From the <b>Write</b> menu or the <b>File</b> menu, select <b>New Outline Blank</b> . Or from the Kurzweil 3000 tabbed page click the New Outline button. Begin writing from an Outline document by clicking the <b>Draft View</b> button in the <b>Outline</b> palette.

### Adding a Picture to a Document

#### To insert a picture into a text document:

1. In a text document, click where you want to insert the picture.



2. From the **Edit** menu, choose **Insert Picture**.
3. In the **Open** dialog, navigate to and select the picture file name you want, then click **Open**.
4. **Save** the document in RTF format.

#### **To copy and paste a picture into a text document:**

1. Display the picture that you want to copy and paste. The picture may be located in your file system, in an existing Kurzweil 3000 document or in a document from another application.
2. Select the picture.
3. From the **Edit** menu, choose **Copy**.
4. Click in the location in the Kurzweil 3000 document where you want to paste the image.
5. From the **Edit** menu, choose **Paste**.
6. **Save** the document in RTF format.

#### **To copy a part of an image and paste it into any document:**

You can copy part of an image from an image document and paste the image into any program that accepts bitmaps.

1. Open the document containing the image you want to copy; and from the **Edit** menu, choose **Image Selector**.
2. In the image, click at the place where you'd like to begin your selection. Drag the frame until the part of the image you want to copy is enclosed.
3. From the **Edit** menu, choose **Copy**.
4. Open the document in which you want to paste the image, and from the **Edit** menu, choose **Paste**.

After adding a picture or image, you can change its properties, such as **Height** and **Width**, **Alignment** and **Border** appearance, by selecting **Picture Properties** from the **Edit** menu.

#### **Dragging and Dropping Image Text**

You can drag and drop text from an image document into a text document and vice versa. Image text "drops" into text documents as text. Text from a text document "drops" into an image document as a Text Note. To "drop" the text as a Sticky Note, hold down the **ALT** key while dragging and dropping.

#### **Working with an External Text Editor**

From the **File** menu, choose **Open with Editor** and select **Microsoft WordPad** or **Microsoft Word**, then open the file you want to edit.

## Editing Options from the Edit Menu

The options you see depend on whether you are working in an image or a text document.

<b>Undo</b>	Undo your previous action.
<b>Cut</b>	Cut selected text from a text document.
<b>Copy</b>	Copy selected text from a document.
<b>Paste</b>	Paste cut or copied text into a text document or into Notes. Or paste an image into a text file.
<b>Select All</b>	Select all of the text in a document.
<b>Image Selector</b>	Select part of an image document for copying.
<b>Insert Page Break</b>	Place a page break at the current cursor position in text documents.
<b>Insert Picture</b>	Insert a picture from any file into a text document.
<b>Picture Properties</b>	Change properties, such as dimension, or add a border for selected picture.
<b>Enable Editing</b>	Allow or prevent document editing.
<b>Move Existing Page</b>	Reorder pages in image documents.
<b>Correct Recognition</b>	Correct underlying text in image documents.
<b>Find</b>	Find and replace text and find highlights in typed documents. Find text, notes, highlights, or bookmarks in image documents.

## Additional Writing and Editing Options

<b>Change Word Spacing</b>	To increase the readability of text, set this option and other text formatting and viewing options in the <b>Text Options</b> pane. See "Setting Options in Kurzweil 3000" on page 45.
<b>Enable Phonetic Spelling</b>	Enable this option to help students find and correct phonetic errors. It can be found in the <b>Word Prediction Options</b> pane. See "Setting Options in Kurzweil 3000" on page 45.
<b>Find Homophones</b>	Kurzweil 3000 provides three levels of homophones to help students identify and correct common homophone errors. For information about word lists, see "Using Word Lists" on page 38 and "Setting Up Word Lists" on page 58.
<b>Limit Spelling Suggestions</b>	Too many options may confuse instead of help students. Specify to <b>Always</b> or <b>Never Limit Spelling Suggestions</b> . This option is in the <b>Spell Check Options</b> pane. See "Setting Options in Kurzweil 3000" on page 45. To have students decide for themselves: select <b>Add option to spelling window</b> to enable the <b>Fewer/More Suggestions</b> button in the <b>Spelling</b> dialog.

## Using Brainstorm




The writing process begins with thinking of ideas and organizing your thoughts. Part of Kurzweil 3000 integrated Writing Path, is a graphic organizer that lets you quickly collect and organize your thoughts. (For more on the Writing Path, use online Help Search.)


While in the Writing Path, you have access to familiar reading and editing functions, a tools palette, and a comprehensive set of shortcut keys. (See “Shortcuts” on page 64.)

The graphic-based Brainstorm diagram that you create shares information with the text-based Outline. You can switch back and forth between the two views, without losing data.

### Creating a Diagram

You can create a New Blank document and start a diagram from scratch or create one from an existing template.

<p><b>Open the Brainstorm window:</b></p> 	<p>From the <b>Write</b> menu or the <b>File</b> menu, select <b>New Brainstorm Blank</b> or select <b>New Brainstorm from Template</b>. For templates, select the one you want from the <b>Open</b> dialog.</p> <p>The default view opens with the work area containing a single graphic element – the Main Idea Oval, as a starting point; and a Brainstorm tools palette.</p> <p>Brainstorm templates present a general structure, instructional and sample text that you can edit.</p>
<p><b>Create and edit thoughts, main ideas, sub-ideas, and details:</b></p> <p>Use <b>Quick Takes</b>.</p> 	<p>Keep thoughts to just a few words. Click in an empty area in the Brainstorm window.</p> <p>Select a shape. Ovals can be for main ideas, Rectangles for sub-ideas and Diamonds for details.</p> <p>Begin typing your thought or edit existing text. You can use typical editing functions, <b>CTRL+A</b>, <b>CTRL+C</b>, <b>CTRL+V</b>.</p> <p>To add related thoughts in rapid succession, click the <b>Quick Takes</b> button.</p>
<p><b>Link thoughts:</b></p> <p>Use <b>Link Thoughts</b>.</p> 	<p>The Link button is only available when there are multiple thoughts in the diagram and one thought is selected.</p> <p>Select the shape that is to be higher in the hierarchy, typically a topic or key idea.</p> <p>Click the <b>Link</b> button. As soon as you begin to move the cursor, a directional arrow attaches to the cursor.</p> <p>Drag the directional arrow to the shape you want link to, typically a subtopic or supporting detail. When the directional arrow gets to the edge of the subtopic shape, the shape is outlined in red.</p> <p>Click on the shape. The arrow releases from the cursor, snaps to the shape and the red box is removed.</p>

<b>Organize and Arrange thoughts:</b>  Use <b>Arrange</b> .	To change shapes, select the thought and click on the shape button in the palette. To change shape color, select Fill color. To arrange thoughts, click the <b>Arrange</b> button.
--	--

## Selecting and Editing Thoughts

**To select a thought**, click on its shape.

**To select multiple thoughts**, do one of the following:

- Select a group of nearby thoughts, click in a wider area than the thoughts you want to select, then drag the selection frame across the area until all the thoughts you want are in the frame, then release the mouse button.
- Add to selected thoughts, hold the **SHIFT** key and click. To deselect thoughts in this group, click on it and press **SPACEBAR**.

**To edit the contents of a thought**, click on it twice. The text editor box opens for you to make your changes.


## Additional Brainstorm Features

To:	Do the following:
<b>Move thoughts</b>	Select the thought or group of thoughts. Drag and drop to the new location or use <b>Arrow</b> keys.
<b>Delete thought(s), link(s)</b>	Select thought(s) and/or link(s), then click the <b>Delete</b> button in the palette.
<b>Resize a thought</b>	Select it. Four small squares appear, one at each corner, click on the desired one. Drag until the thought is the size you want, then release the mouse button, or press <b>ALT+Arrow</b> keys.
<b>Redirect a link</b> See also "Shortcuts" on page 64.	Click on the link line at the end you want to re-direct. Two square "grips" appear, one at each end of the link. Drag the end of the link to another thought, then release the mouse.
<b>Delete a link</b>	Click to select the desired link. Two small square "grips" appear, one at each end of the link arrow. Press <b>DELETE</b> .

## Adding and Working with Notes

For each thought you create in the diagram, you can attach a Note to add more details, expand on an idea, as well as to keep track of the sources from which your ideas originated. This can be helpful for noting paraphrases and direct quotations, and to add source information, citations, references and bibliographies.




**To add a Note to a thought:**

1. Select the thought if it isn't selected already.
2. Click the **Note** button  to open it, or press **CTRL+T**. A Note marker appears indicating that the thought now has a note attached.
3. Type you notes.

To open/show and close/hide a **Note**, select the thought that has the note, click the note marker or press **CTRL+T**. You can edit the open note. Whatever state you leave the note (opened or hidden) when you close the diagram, that is the state you see when you re-open the diagram.

### Switching from Brainstorm to Other Views

From Brainstorm you can switch to the following views by clicking the desired view button in the **Writing** toolbar or by selecting the desired option from the **Write** or the **Right Mouse Button** menu.

<p><b>Brainstorm to Outline.</b></p> 	<p>Click the <b>Outline</b> button on the toolbar, or select <b>Outline</b> from the <b>Right Mouse Button</b> menu, or use the shortcut <b>CTRL+SHIFT+T</b>.</p>
<p><b>Brainstorm to Draft.</b></p> 	<p>Click the <b>Draft</b> button on the toolbar to begin writing.</p>
<p><b>Brainstorm to Draft using the Split Screen view.</b></p> 	<p>If no outline exists or if an outline exists for this diagram: Click the <b>Split Screen</b> button. In the Split Screen window, the Outline appears in the left-hand pane. Begin writing in the Draft area in the right-hand pane.</p>

### Creating a Draft from Brainstorm

From the Brainstorm diagram, click **Outline** view. In Outline view, click the **Draft View** button



in the Outline palette. The outline text appears in the draft, ready for you to expand into prose.

## Using Outline




The outline is an alternative way to begin the writing process. Kurzweil 3000 Outline lets you jot down your ideas and organize your thoughts into a writing plan.

While working in Outline, you have access to familiar reading and editing functions, a tools palette, and a comprehensive set of shortcut keys. (See “Outline Shortcuts” on page 65.)

The text-based outline that you create shares information with the graphic-based Brainstorm diagram, allowing you to switch back and forth between the two views, while preserving your data.

### Creating an Outline

You can create a New Blank Outline document and start one from scratch or create one from an existing Outline template.

<p><b>Open the Outline window:</b></p> 	<p>From the <b>Write</b> menu or the <b>File</b> menu, select <b>New Outline Blank</b> or select <b>New Outline from Template</b>. For templates, select the one you want from the <b>Open</b> dialog.</p> <p>The default Outline view opens with the work area containing a Main Idea; and a tools palette.</p> <p>Outline templates present a general structure, instructional and sample text that you can edit.</p>
<p><b>Add ideas, sub-ideas and details:</b> Use the <b>Add Topic/Add Subtopic</b> buttons.</p> 	<p>Click in any line.</p> <p>To add ideas at the same level, press the <b>Return</b> key or click <b>Add Topic</b> (the first button) in the Outline palette.</p> <p>To add ideas one level lower, click <b>Add Subtopic</b> (the second button from the left).</p> <p>When you add a sub-topic, its “parent” topic, the one for which it is a sub-topic, shows a blue dash marker, indicating that the topic has sub-topics.</p> <p>Type or edit topics. For details on editing Outline text, see “Selecting and Editing Outline Text and Topics” on page 33.</p>
<p><b>Organize and re-organize ideas:</b> Use the <b>Move Topic</b> arrows.</p> 	<p>To promote a topic to a higher level, for example, level A to level I, click in the topic and click the Left arrow.</p> <p>To demote a topic to a lower level, for example, level A to level 1, click in the topic and click the Right arrow.</p> <p>To move a topic higher in the order of same-level topics, for example, topic F to topic B, click in the topic and click the Up arrow until the topic is in its new place.</p> <p>To move a topic further down in the order of same-level topics, for example, topic B to topic F, click in the topic and click the Down arrow until the topic is in its new place.</p>

<p><b>To show or hide sub-topics:</b></p> <p style="text-align: center;"> [-]III. Boston sightseeing  [-]A. Museum of Science  [+]1. IMAX  2. Duck Boats  </p>	<p>Click the plus sign or the blue dash.</p>
--	--

## Selecting and Editing Outline Text and Topics

There are two types of text selection in Outline view:

- Regular text selection within a topic or note. Text in the Outline view cannot be selected across topics or across topics and notes. Regular text selection applies only to the selected text and does not select any sub-topics that a topic may have.
- Complete selection selects all the text in a topic as well as its associated sub-topics and notes. A complete selection of a Note selects all the note text.

### To select and edit regular text:

Double-click to select a word.

Drag-select letter, word or block of text.

You can:

- Edit text using familiar editing functions such as, Cut/Copy/Paste, however, dragging and dropping text is not available in Outline.
- Deselect text by clicking elsewhere, however, be aware that if you click to the left of a line of text or in the area before any marker, you are performing a complete selection of the topic.

### To select a whole topic or note:

Move the pointer to the area before the topic text or any marker, if it exists, then click, or press **CTRL+SPACE**. This applies to any level of topic in the Outline feature. After you click, the topic is highlighted. You can now Cut/Copy/Paste, delete or drag and drop to move it.

Because it is a complete selection of the entire topic, the operation affects all of the topic's sub-topics and notes.

### To delete text in a topic without removing its number:

Select the text or select the topic, then press the **DELETE** key.


### To delete a topic and its associated sub-topics and notes:

1. Select the topic. The topic text should highlight indicating that it and all of its associated sub-topics and notes are selected.
2. Click the **Delete** button in the palette or press **DELETE**.

## Adding and Working with Outline Notes

For each thought you create in the Outline, you can attach a Note to add more details or to keep track of the sources from which your ideas originated. This can be helpful for noting paraphrases and direct quotations, and to add source information, citations, references and bibliographies.

### To add a Note to a topic:

1. Click the topic for which you want to add a note.
2. From the outline tools palette, click the **Note** button  or press **CTRL+T**.
3. Type your note.

**To open/show and close/hide an Outline Note:** click the note marker, or press **CTRL+T**. You can edit the open note.





### To select, move, copy, or delete an Outline Note:

1. Click the note marker to open the note.
2. Select the whole note by clicking to the left of the note marker, or by pressing **CTRL+SPACE**. The note text is highlighted.
3. Do one of the following:
  - Drag and drop it to a new location.
  - Cut/Copy/Paste in another location.
  - Click the **Delete** button in the palette or press **DELETE**.

**Note:** When using Extract Text in Outline view, open all notes to show their text before using the command to ensure that the text in notes will be extracted.

## Switching from Outline to Other Views

From Outline, you can switch to the following views by clicking the desired view button in the **Writing** toolbar or by selecting the desired option from the **Write** or the **Right Mouse Button** menu.

 <b>Outline to Brainstorm.</b>	Click the <b>Brainstorm</b> button on the Write Toolbar or select <b>Brainstorm</b> from the <b>Right Mouse Button</b> menu, or use the shortcut <b>CTRL+SHIFT+T</b> .
 <b>Outline to Draft.</b>	Click the <b>Draft</b> button on the Write toolbar or the Outline palette to begin writing.
 <b>Outline to Draft using Split Screen view.</b>	Click <b>Split Screen</b> view button on the Write toolbar to show a read-only, non-editable outline view in the left-hand pane. Begin writing in the Draft area in the right-hand pane.
 <b>Outline to Review.</b>	Click the <b>Review</b> button on the Writing Tools Palette. See “Finalizing a Draft Using the Review Checklist” on page 36.



## Creating a Draft from Outline

With the Outline open, click the **Draft View** button  in the outline tools palette. The outline text appears in the draft, ready for you to expand into prose.

## Creating and Working with Drafts

In the writing process, the stage after brainstorming and/or outlining, is the actual “writing” stage, when you create drafts for your own review, for peer-editing, or for teacher approval. In the Kurzweil 3000 Writing Path, this is the Draft stage.


### Creating a Draft



You can create a New Blank Draft document to start from scratch, create a draft from an Outline document, or create a draft from an existing Draft template.

To create a Draft from:	Do the following:
<b>Blank</b>	From the <b>Write</b> menu or the <b>File</b> menu, select <b>New Draft Blank</b> . Or click the New Draft button on the Writing Tools Palette Or click the New Draft button on the Kurzweil 3000 tabbed page Start Writing.
<b>Writing Template</b>	From the <b>Write</b> menu, select <b>New Draft from Template</b> . From the <b>Open</b> dialog, select the template you want. Each template includes instructions and tips for writing. The instructions and tips are actually “Field Text.” The text you type in the Templates overwrite the Field Text. All writing and editing features are available.
<b>/Outline</b>	This option is only available if you have already created a Brainstorm diagram or an outline using the Outline feature. If you only have the Brainstorm diagram and no outline, Kurzweil 3000 converts the diagram contents and organization into outline format before opening the Draft. Changes you make in the Draft are not reflected in the Outline or Brainstorm views. From Outline, click the <b>Draft View</b> button in the Outline tools palette. From Brainstorm, click <b>Outline</b> . In Outline view, click <b>Draft View</b> . The Draft document opens with the Outline text ready for you to expand into prose.

### Switching from Draft to Other Views

From Draft, you can switch to the following views by clicking the desired view button in the **Writing** toolbar or by selecting the desired option from the **Write** or the **Right Mouse Button** menu.

<b>Draft to Brainstorm</b> 	Click the <b>Brainstorm</b> button. This is available if there is or is not a Brainstorm diagram or Outline associated with this draft. If there is no diagram or Outline, the default Brainstorm diagram or Outline appears.
---	--

<b>Draft to Outline</b> 	Click <b>Outline</b> . This is available if there is or is not a Outline associated with this draft, the default Brainstorm diagram or Outline appears.
<b>Draft to Review</b> 	Click the <b>Review</b> button on the Writing Tools Palette. See “Finalizing a Draft Using the Review Checklist” on page 36.

**Note:** If you want to use Column Notes with a draft document, be aware that when the draft is in Split Screen or Review mode, Kurzweil 3000 hides that view when presenting the Column Notes at the bottom of the document window.

## Finalizing a Draft Using the Review Checklist

The actual writing process is a cycle: write, review, rewrite. As part of the Kurzweil 3000 Writing Path, the Review feature is on the Write menu and on the Writing Tools Palette; it opens in the left-hand pane with your draft in the right-hand pane.

The Review checklist is available any time (except when the Brainstorm or Outline View is open) and for any Kurzweil 3000 text document.

The Review checklist comes with a default set of items that you can modify or add to in the Tools Options dialog. You can have a total of 10 items in the checklist.

### To review a text document:

1. In the draft document, go to the **Write** menu and select **Review**.
2. Perform each task in the checklist, for instance, run the spell checker, or open the Word List you should be using with your writing assignment.
3. When you are finished with each task, click the appropriate checkbox in the **Review** checklist. If the Speak Buttons option is selected in General Options, Kurzweil 3000 reads the item’s description when you roll over its name, and speaks the item name when you check its box. It’s possible to complete the checklist items over multiple sessions. Kurzweil 3000 saves the current list status for subsequent sessions.
4. To end a review session, **Close** the **Review** pane.

### To modify Review Checklist items:

1. From the **Tools** menu, select **Options**, or press **CTRL+F1**.
2. In the **Options** dialog, click **Review Items** to open its dialog.

<b>Add new item</b>	Click <b>Add</b> . In the <b>Add</b> dialog, type the name of the new item or select one from the default set. The default set list only shows items that are in the default set, but that are not in the current checklist set. (Optional) enter a description for the item. Click <b>Add</b> .
<b>Rename item</b>	Select the desired item from the list. Click <b>Rename</b> . In the <b>Rename</b> dialog, enter the new name, and click <b>Rename</b> . Note that you cannot rename a default item.

<b>Select default checklist set</b>	Click <b>Default</b> .
<b>Delete, Move item</b>	Select the desired item from the list. Click the desired command button.

- Click **OK**. Modifications are saved to the document, so you should see them in subsequent sessions.


## Using Writing Support Tools

### Using Spell Check

Kurzweil 3000 lets you check spelling in image documents to correct scanning errors, as well as in text documents to correct composition errors.

Making spelling corrections in image documents changes the underlying text that Kurzweil 3000 reads; it does not alter the image text on the screen. To see the underlying text, choose **Edit Underlying Text** from the **Edit Correct Recognition** submenu.

#### To spell check a document:

- In a document, click the **Spell Check** button  in the **Writing Tools Palette**.  
If Kurzweil 3000 finds a word it thinks is misspelled, it opens the **Spelling Correction** dialog.
- In the **Spelling Correction** dialog, decide how you want Kurzweil 3000 to handle each possible error.

<b>To:</b>	<b>Do the following:</b>
<b>Ignore the word</b>	Click <b>Skip</b> .
<b>Ignore the word throughout the document and not save it to the spelling dictionary</b>	Click <b>Skip All</b> .
<b>Correct an error</b>	Select a word from the <b>Suggestions</b> list or type your correction into the <b>Change To</b> box, then click <b>Change</b> .
<b>Correct the error throughout the document</b>	Select a word from the <b>Suggestions</b> list or type your correction into the <b>Change To</b> box, then click <b>Change All</b> .
<b>Hear the contents of the Change All box</b>	Click <b>Read</b> .
<b>Add the word to your private dictionary</b>	Click <b>Add</b> .

You can control the number of possible corrections the Spell Checker displays by clicking **Fewer Suggestions** or **More Suggestions**. (This button is only available if the **Add option to spelling window** is enabled in the Spell Check Options pane. See “Setting Options in Kurzweil 3000” on page 45.)

- When you are finished, click **Exit**.

#### To check spelling as you type:

Enable **Check Spelling as You Type** in the **Tools Options Spell Check** pane.

As you type, possible spelling errors are underscored with red dotted lines. Click the Right Mouse button to see and select from a list of corrections. There are also a couple of options: **Ignore** and **Add to Dictionary**.

### To add or delete words in your private spelling dictionary:

1. Click the **Spell Check** button in the **Writing** toolbar to open the **Spelling Correction** dialog.
2. Do one of the following:
  - To add the current word, click **Add**.
  - To delete the selected word, click **Delete**.
  - To hear the selected word, click **Read**.
3. Click **OK**.


### Using Word Prediction

In a document in which you are typing, select **Word Prediction** from the Tools menu,



or click the **Word Prediction** button on the Writing Tools Palette.

As you type, Kurzweil 3000 presents possible words in a list in the **Word Prediction** window.



### To select a word, do one of the following:

- Click on the word in the list.
- Or using the number keypad, press the number of the word in the list.
- Or press the **CTRL** key plus the number of the word in the list.

### To have the Word Prediction window stay in one place or follow along as you type:

Click the Thumbtack in the upper left-hand corner of the Word Prediction window.

### To add all the words in the document into Word Prediction:

Click the Train button.

### Using Word Lists

Kurzweil 3000 includes several ready-to-use Word Lists, including Academic, Homophones, and Confusable words, Transitional Words from Sopris West Step Up To Writing program, and others.

#### For Teachers:

You can create new lists based on subjects or units of study, see "Setting Up Word Lists" on page 58.

## For Students:

If the Word List you are using has the associated option selected, you can do the following while you are writing:

<b>Highlight Word List's words in a document</b> (The <b>Add list to the Highlight menu</b> option must be selected in the <b>Word Lists Options</b> )	In a document, go to the <b>Tools</b> menu, choose <b>Highlight</b> , then select the desired Word List name. Any words contained in the selected list are highlighted in the document.
<b>Find Word List's words in a document</b> (The <b>Add list to the Find menu</b> option must be selected in the <b>Word Lists Options</b> )	Place your cursor at the beginning of the document. From the <b>File</b> menu, choose <b>Find</b> , then select the desired <b>Word List</b> name. The <b>Find</b> dialog, shows the first word in the document that is on the list. Use any of the functions in the dialog: <b>Replace</b> , <b>Find Next</b> .

## Using Floating Word Lists

The Floating Word List is a handy window that you can have open as a self-correction support while writing and editing in any draft, including a document from other applications such as Microsoft Word. It can remain open even as you work in different documents.

Accessible from the **Tools** menu, it displays words from a selected Word List. If you have the **Highlight Used Words** option selected, you can use Floating Word Lists while:

- Writing - words highlight in the window as soon as you type them in your document.
- Reviewing your draft documents - in any open text document, Kurzweil 3000 highlights words from the selected word list.

It's also possible to do the following:

- Drag and drop words from the Floating Word List window into your document.
- Look up word information in the list by double-clicking on the desired word.
- Show up to four word lists accessible in the window, so you can change lists as you work.

The word lists that are available to the Floating Word List feature are the ones that are in the Word List Setup dialog. For more information on word lists in general and creating them, see "Setting Up Word Lists" on page 58.

**Note:** The Floating Word List is only available when there is a text file open, if it is not the active view, and if the floating window is not already open.

### To work with the Floating Word List:

1. Open a text document.
2. From the **Tools** menu, select **Floating Word List** or click its button on the Writing Tools Palette.
3. Select the word list you want by clicking on its tab.
4. What you can do:
  - Write in your draft document. The **Highlight Used Words** option is selected by default, so you should see Kurzweil 3000 highlight list words as soon as you type them.
  - Drag and drop words from the window into your working document.
  - Look up a word in the list by double-clicking it.

- Keep the window open even if you close and open documents, or if you are using another application such as Microsoft Word.

### **To add or remove lists to Floating Word Lists:**

1. In the Floating Word List window, click **Edit Word Lists** to open the dialog.
2. Do one of the following:
  - To add a word list and specify whether it should be required or optional, click the desired word list from the **All Word Lists** list.
  - A required list is one from which students must be required to use all the words in the list for a writing assignment. Click **Add as Required**.
  - An optional list is one from which students do not have to use all the words. Click **Add as Optional**.
  - The list name appears in the **Selected Word Lists** column with a check, indicating that it will appear as a selectable word list tab in the Floating Word List window.
  - Note:** You can have up to four list name tabs showing in the window.
  - To remove a word list, select it and click **Remove**. If only one list is left, avoid removing it. If you do so by accident, you can reopen the Floating Word List and its Edit dialog.
3. Click **OK**.

### **To review a document for words you used from a word list:**

1. Open a text document.
2. From the **Tools** menu, select **Floating Word List** or click its button on the Writing Tools Palette.
3. Select the word list you want by clicking on its tab.
  - The **Highlight Used Words** option is selected by default, so Kurzweil 3000 should highlight the words from the word list that you used in the document.

### **Additional Floating Word List Options**

- **Get word information** - In the Floating Word List window, double-click a word to see its definition and other word information.
- **Highlight words used** - It may be beneficial for students to be able to keep track of the list words they have used in their documents. This setting is in the **Edit Word List** dialog, and is on by default.
- **Speak when word is clicked** - This option, available in the **Edit Word List** dialog, is selected by default to have Kurzweil 3000 speak the word when clicked.

## Taking Tests Using Kurzweil 3000 Features


If you are a student, the following are Kurzweil 3000 features you can use when answering test questions:

<b>Highlighting</b>	Use highlighters to answer multiple-choice questions.
<b>Typing</b>	Type answers into a Text Note box. Text Notes may be pre-inserted using <b>Fill In the Blanks</b> or students can add the boxes.
<b>Navigating among Text Notes</b>	Use the <b>TAB</b> key to go to the next Text Note. Use <b>SHIFT+TAB</b> to go to the previous Text Note.
<b>Recording</b>	Create <b>Voice Notes</b> or if they are already embedded in the document, click on a Voice Note anchor and record an answer.
<b>Dragging and Dropping</b>	Open scanned curriculum and drag information from it into the test. Ideal for “open book” tests.
<b>Printing</b>	If needed, use the <b>Fit to Paper</b> option in the <b>Print</b> dialog to ensure that a test prints without any information being cut off.

## Managing Documents

### Saving and Printing a Document

From the File menu:

	choose <b>Save</b> or <b>Save as</b> to save a document. By default, Kurzweil 3000 automatically saves documents every five minutes.
	Choose <b>Print</b> to Print a document. You can also click the Print button on the toolbar or press <b>CTRL+P</b> .

To save a document in another name and/or file format, use **Save As** from the **File** menu.

File Format to Save As:	Types of Documents:	Preserves:
<b>.KES</b> (Kurzweil format)	Save from image or typed/text documents, including scanned documents, documents opened with KESI Virtual Printer. Use this format for documents that have Notes, Highlighting, and bookmarks that you want to use in Kurzweil 3000.	Saves text, formatting, Notes, Highlighting, Bookmarks.
<b>.TXT</b> (ASCII text)	Save from image or typed/text documents. This file format is good for documents when you want to share or open them with other applications but are not certain what format to use.	Saves text only, but not Notes, Highlighting, Bookmarks, and images.
<b>.RTF</b> (Rich Text Format)	Save from image or typed/text documents. Use this format for documents that you want to share or open with other applications such as word processors.	(same as above)
<b>.DOC</b> (MS Word)	(same as above)	(same as above)
<b>.DOCX</b> (MS Word 2007)	(same as above)	(same as above)

<b>.HTML, HTM</b> (Hypertext Markup Language)	Save as a document for the World Wide Web.	Saves text only
<b>.TIF</b> (Tagged Image File)	Format for storing bit-mapped images	Save an image of the current page only. Does not preserve notes or highlighting or bookmarks
<b>.OPF</b> (DAISY 3)	Save from image or typed/text documents. DAISY files are portable and shareable.	Saves text, bookmarks, navigation, but not Notes, Highlighting, and images. <b>NOTES:</b> Saving to DAISY actually creates a set of files, so it's a good idea to create a folder to receive those files. In the Save As dialog, locate that folder, then save. When opening DAISY files, use the file with the .opf ending.
<b>.BKS</b> (Compressed DAISY)	Save from image or typed/text documents.	Saves text only

To save parts of a document, from the **File** menu, choose **Save Page Range**, specify the page range and click **OK**.

## Locating Documents and Files

<b>Windows Vista, Windows 7, Windows 8, 8.1 and Windows 10</b>	C:\Users\ <i>user name</i> \Documents\KESI\Kurzweil 3000
<b>Windows XP</b>	C:\Documents and Settings\ <i>username</i> \My Documents\KESI\Kurzweil 3000
<b>Older systems</b>	C:\My Documents\Kurzweil Educational Systems\Kurzweil 3000\ <i>username</i>

- To locate Column Notes files, find files that end with the file extension .k3c.

## Sending a Document to a Recipient Through E-mail

- Open the document you want to send.
- From the **File** menu, choose **Send To** and either the text or attachment option. Selecting Text places the content of the document into an e-mail; selecting attachment attaches the file.
- Specify recipient and **Send**.

## Creating an Audio File

Any file format can be converted into an audio file in MP3, WAV or DAISY 2 format. If your system does not have an MP3 encoder, and has Internet connection, Kurzweil 3000 downloads one.

The output file is added to iTunes and Windows Media Player under the "Kurzweil 3000" playlist. You can uncheck option(s) you do not want or change the playlist.

### To create an audio file:

- Open the document you want to convert. To convert only an excerpt, select the text you want.
- From the **File** menu, select **Audio Files**, then choose **Create Audio File**.
- In the **Create Audio File** dialog, specify the options you want: **Entire Document**, **Page Range** or **Selected Text**, **Reading Voice**, type of **Output**, and file name, then click **OK**.  
If you have selected text in the document, the **Selected Text** option would be the default.



- Find the file: (XP) C:\Documents and Settings\All Users\Application Data\KESI\Output Audio. (Vista/Windows 7, 8, 8.1, and 10) C:\ProgramData\KESI\Output Audio.

**NOTE:** If you are outputting to DAISY 2, the output is actually a folder with a set of files.

To track the audio file creation process, select **Audio Spooler Monitor** from **File Audio Files**.

### Additional File Options from the File Menu

<b>Open From, Save To Library</b>	See "Using the Universal Library" on page 43.
<b>Extract</b>	Extract Text, Notes, Highlights, and Bookmarks to a new file. Also available in Writing Outline view.
<b>Join</b>	Join two open documents.
<b>Open with Editor</b>	Open a text or RTF document using Microsoft WordPad or Microsoft Word.
<b>Properties</b>	Add security and other properties to a document. See "Setting Document Properties" on page 62.
<b>Recent Files</b>	Open a recently accessed file.
<b>My Account</b>	For Web License- <i>firefly</i> users; opens the <i>firefly</i> login web page.
<b>Change User</b>	Close Kurzweil 3000 and display the login screen.

## Using the Universal Library

### Web Universal Library (available for Web License Edition and *firefly* users)

The Web Universal Library is a virtual library of electronic files that the district, school, teachers and students want to store and/or share. Users can access the Universal Library from computer-to-computer over the Internet. See the Web Universal Library in the online help for more information about the Web Universal Library.

Currently, the Universal Library supports Kurzweil 3000 KES, as well as TXT, DOC, DOCX, RTF, EPUB, BKS, and PDF files. It comes with the Classic Literature collection of nearly 2,000 electronic texts. For subscribers to Cambium Learning Group educational products and websites, the Universal Library offers a single location where published material in electronic format can be found.

The structure of the Universal Library is based on user/sub-user file system concept where each authorized user can set up and manage his/her sub-users. In addition to sub-user folders, each user also has a Public folder and a Private folder. All users have Read-Write permission to their own and to sub-users' Public and Private folders. Sub-users only have Read access to the Public folder of the user who created their account.

#### To open a document from the Universal Library:

- From the **File** menu, choose **Open from Library** to open the **Kurzweil 3000 Universal Library** folder.
- Navigate to the desired folder, select the file you want from the file list pane, then click **Open**.

#### To save a document to the Universal Library:

- Open the document you want to save.
- From the **File** menu, choose **Save to Library**.
- In the **Save to the Universal Library** dialog that opens, navigate to the desired folder, then click **Save**. It's possible to create a new folder in which to place the file, and to rename the file.

# Searching for and Downloading Electronic Content

You can search for and download:

- Electronic books and material from Web sites such as *Project Gutenberg*, *Bookshare.org* and *Baen Free Library*.
- Text files from the Classic Literature folder which is included on Kurzweil 3000 product DVD.
- Electronic magazines from such sites as *Talking Newspaper UK*.
- News and updates from Kurzweil Educational Systems.

## Searching for E-Content from Web sites

1. From the **Online** menu, choose **Search for Books**.
2. In the **Online Search** dialog, search by **Author** or **Title** by clicking the Author/Title button and typing in any part of the name or title.
3. Make sure the sites you want to search are checked, then click **OK**.
4. In the **Download Status** dialog that appears, select each desired item from the **Items available for download** list.

You can also use:

- **And** or **Or** to narrow searches.
- Complex Queries. See Online Help for details.

## Searching for Online Magazines

1. From the **Online** menu, choose **Search for Magazines**.
2. In the **Online Magazine Search** dialog, type in any part of the magazine's name.
3. Specify the time frame, then click **OK**.
4. In the **Download Status** dialog that appears, select each desired item from the **Items available for download** list.

## Opening and Managing Downloaded Files

From the **File** menu, choose **Open**.

It's a good idea to rename downloaded files after opening them and place them in another folder.

# Customizing Kurzweil 3000

## Customizing the Right Mouse Button Menu

### To display the Right Mouse Button menu:

Right-click while the cursor is over a document. Depending on the context, some Right Mouse Button menu options may not be available. For example, Edit Underlying Text is only available when you are in an image document.

### To add or remove menu items:


1. From the **Tools** menu, choose **Customize**, then select **Right Mouse Button**.
2. Select desired items.
3. Click **OK**.

## Changing the Reading Dual Highlighting Color Options

As Kurzweil 3000 reads, it highlights the reading unit in one color and the current word in another color.

### To change the highlighting colors:

1. From the **Tools** menu, select **Options**.
2. Click the **Text** button to open the Text Options pane.
3. In the **Colors** area, specify the desired colors for the word and sentence highlighting.




## Setting Options in Kurzweil 3000

Most of the features in Kurzweil 3000 have additional options, the majority of which are in the **Options** panes.

### To access an Options pane:

1. From the **Tools** menu, select **Options** to open the **Options** dialog.




2. Click the icon for the desired option category:  
**General, Reading, Text, Image, Magnify, Highlighters, Spell Check, Scanning, Word Prediction, Review Items.**

# Scanning

## Basic Scanning

1. Make sure your scanner or document camera is turned on.
2. Place the material to be scanned on the scanner glass (or under the document camera).
3. Click the **Scan** tab to open the Scanning toolbar and palette.

4. Click the Scan button  on the Scanning tools palette. (You can also click the **Scan Document** button on the Kurzweil 3000 tabbed page or choose **Start New Scan** from the Scan menu.)

Progress messages appear as Kurzweil 3000 captures the image and “recognizes” the text. When the scan is complete the page image appears in the Kurzweil 3000 document area. Each new page you scan is added to the end of the document.

To cancel scanning, click the **Cancel Scan** button.

## High-Speed Scanning

If you are using a high-speed scanner, it is often more efficient to use that scanner’s software than to use Kurzweil 3000, then use the Kurzweil 3000 Automater to convert the scanned TIFF files into KES or PDF file format. See Online Help for details on using the Automater.

## Scanning Options from the Scan Menu





To:	Use:
Scan a page again and replace it for the current page.	<b>Rescan Page</b>
Scan a page and insert it before the current page.	<b>Insert Page</b>
Insert an image file.	<b>Insert Image</b>
Delete the current page.	<b>Delete Page</b>
Correct recognition errors found by Kurzweil 3000.	<b>Corrections</b>
Re-do the recognition process to see if you can obtain better results.	<b>Re-Recognize Page</b>
Scan a color document and display it in color.	<b>Use Color</b>
Specify duplex scanner or scanner with an automatic document feeder.	<b>Double Sided</b>
Scan facing pages of small format originals such as paperbacks.	<b>Two Page Mode</b>
Automatically scan pages one after another, with a delay in between scans. You can specify the delay interval in the Settings Options pane.	<b>Scan Repeatedly</b>
Select a scanner or document camera. Scan small-sized pages to save scanning time. Set scan page size. Optimize scanning settings.	<b>Scanner Setup</b>
Use to clean crease marks, specks and other unwanted blemishes in image documents.	<b>Image Fill</b>
Re-order reading zones. See page 49.	<b>Zone Editor</b>

## Scanning Options from the Scanning Options Pane

### To open the Scanning Options pane:

From the **Tools** menu, select **Options**, then click the **Scanning** icon.

The following table presents the options available from the **Scanning Options** pane.

To:	Use this option:	Do this:
Adjust dark or light originals.	<p><b>Brightness</b></p> 	<p>Drag the slider.</p> <p>Use higher values to lighten dark originals and lower values to darken light originals.</p> <p>After you have found the ideal setting for the document or most of the documents you will be scanning, click <b>Save Setting</b>.</p>
Adjust the time interval between each scan.	<p><b>Repeated Scan Delay</b></p> 	<p>Drag the slider.</p>
<p>Specify the top of the page relative to the "Home" position of the light bar on the scanner.</p> <p>Identifying page orientation can speed up scanning.</p>	<p><b>Page Orientation list</b></p> 	<p>From the list, select the appropriate setting:</p> <ul style="list-style-type: none"> <li>• Top of Page where the top of page aligns with the scanner Home position.</li> <li>• Or top of page is rotated 90, 180 or 270 degrees from the Home position.</li> </ul>
<p>Select OCR settings based on your documents' requirements, including language(s) of the originals.</p> <p>Trade-offs are quality versus speed.</p>	<p><b>OCR engine</b></p> 	<p>Select <b>Engine</b>:</p> <ul style="list-style-type: none"> <li>• <b>FineReader</b> for any type of document, especially hard-to-scan faxes, and hard-to-find languages, and for machine and software code.</li> </ul> <p>Select <b>Speed</b>:</p> <ul style="list-style-type: none"> <li>• <b>Accurate</b> for increased accuracy, but scanning speed can be slow.</li> <li>• <b>Fast</b> for faster scanning, but decreased accuracy.</li> </ul> <p>Select <b>Language</b>. If you work with multi-lingual documents or frequently use documents in various languages, you can select all those languages in the list.</p>

Keep the newly added scanned page in the background so that you can read the document while scanning.	<b>Show New Scans</b>	In the Extras area, deselect <b>Show New Scans</b> . Note: <b>Two Page Mode</b> must also be deselected in the <b>Scan</b> menu when deselecting <b>Show New Scans</b> . In order to select <b>Two Page Mode</b> , <b>Show New Scans</b> must also be selected.
Scan pages with more than one column of text, or when disabled, to scan tables or documents with blanks.	<b>Find Columns</b>	This option is selected by default. Deselect it when scanning tables or documents with blanks such as tests and worksheets.
Ensure that scanned pages do not appear crooked.	<b>Deskew</b>	Deskew is selected by default, but try deselecting it if a page continues to appear crooked.
Improve recognition accuracy of documents with text printed on dotted background or speckled paper, like newspapers.	<b>Despeckle</b>	Select to improve scans of some colored originals and newspapers.
Scan multi-colored document, such as magazine pages or text books with color images, color text and backgrounds.	<b>Dynamic Thresholding</b>	Note: Selecting this option may slow down scanning and limit control over the Brightness setting.
Use the alternate TWAIN scanner driver interface that may be included with your scanner.	<b>Show TWAIN UI</b>	Note: Selecting this option may significantly increase scanning time.
Quickly assess pages that were poorly recognized when scanning a large number of pages or opening a large multi-page document.	<b>Confidence Threshold</b>	By default, Kurzweil 3000 confidence level is set at 95%. Setting the value lower decreases the recognition quality. To see pages that fall below the confidence level, open the scan document and from the View menu, select Thumbnail View. Look for page numbers in blue.

**Note:** Kurzweil 3000 automatically scans white text on black.

## Preparing Documents

There are a number of ways to get documents into Kurzweil 3000:

Scan original pages into Kurzweil image documents.	See "Scanning" on page 46.
Open any type of file, such as PDF, directly in Kurzweil 3000. The KESI Virtual Printer opens non-supported files.	See "Using the KESI Virtual Printer to Open Documents Created in Another Program" on page 8. For a list of supported file formats, see "Kurzweil 3000 Supported File Formats" on page 7.
Type and create new text documents.	See "Starting Points for Writing" on page 26.
Import documents.	See "Additional File Options from the File Menu" on page 43.
Open downloaded or saved files from the Web in Kurzweil 3000.	See "Adding and Editing Hyperlinks" on page 25.

After bringing the document into Kurzweil 3000, review and have Kurzweil 3000 read through the document to find recognition errors and speech engine mispronunciations. You will often need or want to perform one or more of the document preparation tasks listed below:

Rerecognize pages.	See "Scanning Options from the Scan Menu" on page 46.
Change reading order using the Zone Editor.	See "Changing Reading Order Using the Zone Editor" on page 49.
Check spelling.	See "Using Spell Check" on page 37.
Use Override OCR to convert unrecognized text into readable zones.	See "Using Override OCR to Convert Unrecognized Text into Readable Zones" on page 50.
Correct recognition errors using Edit Underlying Text.	See "Correcting Recognition Errors Using Edit Underlying Text" on page 51.
Correct pronunciations.	See "Correcting Pronunciations" on page 52.
Edit Headers and Footers.	See "Editing Headers and Footers" on page 54.
Fill in the Blanks for worksheets and tests.	See "Preparing Tests" on page 56.
Specify new first page or front matter.	See "Specifying New First Page or Front Matter" on page 54.
Clean up images.	See "Cleaning Up Image Documents" on page 54.
Add Instructional Notes.	See "Adding Instructional Notes and Bubble Notes" on page 55.
Set Document Properties such as saving toolbars with a document.	See "Setting Document Properties" on page 62.

### Changing Reading Order Using the Zone Editor

(Image Documents Only) In Kurzweil 3000, the text and images in image documents are treated as separate blocks. When Kurzweil 3000 reads the document, it reads blocks from top-down, left-to-right on the page. This may not be the way you want the material presented, for instance, you may want sidebars, summary text, and/or captions read before the actual text in the section.


Zone Editing allows you to specify the order in which Kurzweil 3000 reads the blocks of text, or "zones." Each zone has its own properties that you can change.

While in Zone Edit mode, you can use familiar navigation functions to move from page to page.


**To switch to the Zone Edit mode and access the Zone Editor menu**

1. From the **Scan** menu, select **Zone Editor**.

In Zone Edit mode, text and images appear as zones in numbered blocks with borders.



2. Click on a zone to select it, then press the right mouse button to display the **Zone Editor** menu.



From the **Zone Editor** menu:

- Select **Help** to display a list of Zone Editor shortcut keys.
- Select **Adjust Zone** to move or resize the zone border.
- Select **Delete Zone** or **Delete All Zones** to remove a selected zone or to remove all zones.

**To exit the Zone Editor**, deselect **Zone Editor** from the **Scan** menu or from the **Zone Editor** Right Mouse Button menu.

**To change the reading order and other zone properties:**

1. In **Zone Edit** mode, double-click on the zone you want to select it.
2. In the **Zone Properties** dialog that appears, do one of the following:

Click or do this:	To have Kurzweil 3000 do this:
<b>Primary Text</b>	Read zones in the reading order you specify.
<b>Secondary Text</b>	Read the zone only when clicked and the Read button is activated.
<b>Graphic</b>	Never read the zone. You can use this option for actual images or text that you don't want to have read.
<b>Type a Reading Order number</b>	Read the zone in the specified order.

**To access additional Zone Editing functions, such as Adding, Deleting and Adjusting Zones:** while in **Zone Edit** mode, press the right mouse button to display the **Zone Editor** menu, then select the option you want.

**Using Override OCR to Convert Unrecognized Text into Readable Zones**

There might be times when the OCR process is unable to recognize certain text, for instance, a heading that uses a large or unusual font, text with wide word spacing, or text on a multi-color or



dark background. The Override OCR option lets you convert unrecognized text into zones that Kurzweil 3000 can read.

### To override OCR:

1. In **Zone Edit** mode, open the **Zone Editor** Right Mouse Button menu and choose **Add Zone**.
2. Select the word that was not recognized by dragging the crosshair cursor over it.
3. Click outside the new zone, then click back inside it.
4. In the **Zone Properties** dialog that appears, select **Override OCR**, then type the corrected word that you want to be the replacement.
5. Click **OK**.
6. Click outside the zone to deselect it.
7. Repeat until all the desired non-recognized words are converted to readable zones.
8. Exit **Zone Editor**, and click **Yes** to confirm the changes.

### Correcting Recognition Errors Using Edit Underlying Text

(Image Documents Only) In Kurzweil 3000, there are two types of text in image documents, the text that you see on the screen, which matches the original document, and the underlying text, which is the text that the OCR process actually recognized. When reading text in image documents, Kurzweil 3000 uses the underlying text. Since the OCR process can produce errors in recognition, Kurzweil 3000 may not read misrecognized words correctly.

Several features, including an editable Corrections List containing corrections for common recognition errors, let you edit the underlying text and correct recognition errors.


#### To correct a single word, use Change Underlying Word:

1. In the image document, double-click on the word you want to change.
2. From the **Edit** menu, choose **Correct Recognition**, then choose **Change Underlying Word**.
3. In the dialog that appears, type the replacement word in the replace **With** box, and click **OK**.

#### To correct multiple errors that are not consistent, use the Edit Underlying Editor:

1. In the image document, open the **Edit** menu and choose **Edit Underlying Text** from the **Correct Recognition** submenu.
2. In the **Edit Underlying Text** window that opens, scroll or page to the word you want to correct, and click to select it.

Kurzweil 3000 highlights the selected word in the document and the Edit windows, and displays it in the **Selected Word** box.



3. Click **Read** to hear the word.

4. Click in the **Selected Word** box and type in the replacement.
5. Click **Read** again to confirm the correction.
6. Repeat for all the words you want to correct.
7. Click the **Close** box to close the **Edit Underlying Text** window and apply the changes.

To correct errors throughout a multi-page document, you can use familiar Editing functions, such as **Find and Replace** and/or **Spell Check**, either in the document view or in the Edit Underlying Text window.

**To correct frequently encountered OCR errors/corrections:**

From the **Scan** menu, choose **Corrections**, then do one of the following:

- Click the word you want to change in the **Find** box, and type its replacement in the **Replace With** box, then click **OK**
- Or, click **Add New**, and in the **Add Correction** dialog, type the word or error in the **Replace** box, type the replacement in the **With** box, then click **OK**.

To view and/or edit the default **Corrections list**, select **Corrections** from the **Scan** menu.

**Advanced Corrections Operations**

Select **Corrections** from the **Scan** menu, then click **Advanced** to display the Advanced options.

To:	Click or do this:
<b>Restore the default Corrections list</b>	<b>Delete All</b> to delete the current Corrections list. Click <b>Defaults</b> to reload the default Corrections list.
<b>Export the current Corrections list</b>	Click <b>Export</b> . In the <b>Save As</b> box, navigate to the location where you want to save the list. Type the name for the list and click <b>Save</b> . Kurzweil 3000 saves the list as a text file.
<b>Import a Corrections list</b>	Click <b>Import</b> . In the <b>Open</b> box, navigate to where the list you want is located. Click <b>Open</b> . Click <b>OK</b> . You can edit the corrections list with a text editor.

**Correcting Pronunciations**

Every speech engine has its own pronunciation dictionary. While these dictionaries are comprehensive, you can still encounter words, especially proper nouns, that the dictionaries may not pronounce correctly. You can:

- Change the pronunciation for a single instance of a word or phrase, or edit words or phrases in your speech engine pronunciation dictionary.
- Import and export dictionaries to ensure everyone has a consistent list.
- Create a custom pronunciation dictionary, see Online Help for details.


**To change the pronunciation of a word or phrase in a document:**

1. Be sure you have the desired speech engine selected in the Speaker Area of the Reading Options pane.

2. Select the word or phrase for which you want to change the pronunciation.
3. From the **Tools** menu, select **Pronunciations** to open the **New Pronunciation** dialog.
4. In the **Pronunciation** box, type the new pronunciation, then click **Test** to test it. Creating the best pronunciation may take multiple tries.
5. Click **OK** to set the desired pronunciation.

**To edit pronunciation in a speech engine dictionary, use the Pronunciations Editor:**

1. Be sure you have the desired speech engine selected in the **Speaker Area** of the **Reading Options** pane.
2. From the **Tools** menu, select **Pronunciations** to open the **New Pronunciation** dialog.
3. Click the **Edit** button to open the **Pronunciations Editor** dialog.



To:	Do this:
<b>Change the pronunciation for a word</b>	In the <b>Words to be Spoken</b> list, select the desired word. In the <b>Pronunciations</b> box, type the new pronunciation. Click <b>OK</b> .
<b>Delete a word from the dictionary</b>	In the <b>Words to be Spoken</b> list, select the desired word. Click <b>Delete</b> .

**Advanced Pronunciation Operations**

1. From the **Tools** menu, select **Pronunciations** to open the **New Pronunciation** dialog.
2. Click the **Edit** button to open the **Pronunciations Editor** dialog.
3. Click **Advanced** to display the Advanced options.

To:	Click or do this:
<b>Hear all the words in a pronunciation dictionary</b>	In the <b>Words to be Spoken</b> list, click on the word where you want to start reading, then click the <b>Test All</b> button.
<b>Delete the current pronunciation dictionary and restore the default dictionary</b>	Click <b>Delete All</b> , then click <b>Defaults</b> .
<b>Export the current dictionary</b>	Click <b>Export</b> . In the <b>Save As</b> dialog, navigate to the location where you want to save the dictionary. Type a name for the new dictionary, and click <b>Save</b> .

<b>Import a dictionary, adding its words to the current dictionary</b>	Click <b>Import</b> . In the <b>Open</b> dialog, navigate to the dictionary file you want. Click <b>Open</b> , then <b>OK</b> .
--	---

## Editing Headers and Footers

(Image Documents Only) Many documents, from books and textbooks to tests and worksheets, have headers and footers that you may not want Kurzweil 3000 to read. The **Header/Footer Editor** lets you mark such text in image documents so Kurzweil 3000 doesn't read them.

### To mark headers and footers for all pages in a document:

1. Be sure you have scanned the entire document.
2. In the open image document, select **Header/Footer Editor** from the **Scan** menu. Kurzweil 3000 appends "Header/Footer Editor is Active" to the document name at the top of the Kurzweil 3000 window to indicate that the document is now in Header/Footer Edit mode.
3. Open the **Header/Footer Editor** Right Mouse Button menu, and choose **Mark Header/Footer**.
4. Drag the left mouse button over the header/footer area until the frame encloses the area you want to block. The block turns to a green color indicating that it is selected. In this state, you can move the marker by hovering on the green area and dragging it, or resize it by pointing to the perimeter and dragging it.
5. Apply the marker to all of a document's pages by opening the **Header/Footer Editor** Right Mouse Button menu, and choosing **Apply to All Pages**.
6. Click outside the header/footer.
7. From the Right Mouse Button menu, deselect **Header/Footer Editor** to exit the editor.

## Specifying New First Page or Front Matter

(Image Documents Only) When scanning a document into Kurzweil 3000, the first page you scan becomes page 1. If, however, you want to maintain the same page number as the original document, you can do so by using the Set Number feature for the first page. For documents that have two numbering schemes, such as preface material and chapter pages, you can use the Front Matter option to make the distinction.

### To specify First Page or Front Matter Pages:

1. In the image document, open the **View** menu, select **Page**, then choose **Set Number** from its submenu.
2. In the **Set Page Number** dialog, do one of the following:  
Set a new first page number by clicking in the **Number of First Page**, and typing the desired page number.  
Or set front matter pages by selecting **Document has Front Matter**, and typing the number of pages that are in the front matter.
3. Click **OK**.

## Cleaning Up Image Documents

Scanned documents can often contain crease marks, specks or other "dirty" areas that can distract students.

### To clean up images using Image Fill:

1. In the document you want to clean up, open the **Edit** menu and select **Image Selector**.

2. Click and drag the crosshair cursor to enclose the desired area in the frame.
3. From the **Scan** menu, click **Image Fill**. If the document is in color, select **Color Picker**.
4. Select the color you want. If the document is in color, you can click on any color in the document to use.
5. Click **OK**.

## Adding Instructional Notes and Bubble Notes


You can add any type of Notes to a document that you are preparing for students. Adding Instructional Bubble Notes is presented here, see “Working with Notes” on page 15 for information on adding Sticky Notes, Text Notes, Voice Notes, and Footnotes.

### To embed instructional Bubble Notes:

You can use Bubble Notes to present students with instructions or questions that they can answer. For instructions on answering questions in Bubble Notes, see “Creating and Answering Questions in Bubble Notes” on page 16.

For instructions on opening and hearing a Bubble Note, see “Opening, Hearing and Closing Notes” on page 18.

1. Click a location in the text where you want to place the Note.
2. From the **Tools** menu, click **Notes**, then choose **Add Bubble Note**.
3. In the **Bubble Note** dialog, select the desired options:
  - Appearance:** select Balloon or Cloud Shape and Small or Large Size.
  - Open option:** select to have Note open Before or After a unit is read, or When a word is read.
  - Read option:** select to have Note read upon opening.
  - Question option:** select **True or False**, **Text** or **Multiple Choice** with **Radio Buttons**, **Check Boxes** or **Match**. True or False presents two radio buttons in the text area. Multiple Choice Match presents two columns. To add more choices, use the arrow buttons.



4. Type your instruction/question in the text area. Click **OK** when you are finished. Kurzweil 3000 places the Bubble Note anchor at the specified location in text.

### To edit or change Bubble Note properties:

1. Select the desired Note’s purple underlined text or purple question mark anchor.
2. From the **Tools** menu, click **Notes**, then choose **Edit Bubble Note**.
3. In the **Bubble Note** dialog, make the desired edits and changes.
4. Click **OK**.

## Preparing Tests

<b>Preparation task:</b>	<b>How to do it:</b>
Bring a test into Kurzweil 3000.	Scan an existing test. Or use the KESI Virtual Printer to open a test created in another application. (For information about the KESI Virtual Printer, see “Using the KESI Virtual Printer to Open Documents Created in Another Program” on page 8.)
Optimize reading order.	Use the <b>Zone Editor</b> to set reading order and to remove unwanted text. See “Changing Reading Order Using the Zone Editor” on page 49.
Pause reading at each question.	Add bookmarks or empty Text Notes to each question and select <b>Pause At Bookmarks</b> or <b>Pause at Empty Notes</b> from the <b>General Options</b> panel to pause reading after each question is read.
Add Fill in the Blanks.	Select the <b>Fill In the Blanks</b> option from the <b>Tools</b> menu.
Add Voice Notes to accommodate test takers who need/prefer to respond with audio answers.	Choose <b>Add Voice Notes</b> from the <b>Tools Notes</b> submenu.
Add special instructions to a test.	Add any type of <b>Note</b> to provide additional instructions or guidance where appropriate. See “Using Study Skills Tools” on page 15.

## Customizing Tests

<b>Customization:</b>	<b>Where to set it:</b>
Adjust reading speed.	<b>Reading Options</b> pane from the <b>Tools</b> menu.
Have buttons/messages spoken.	<b>General Options</b> pane from the <b>Tools</b> menu.
Show or hide other tools	From the <b>File</b> menu, click <b>Properties</b> . In the Properties dialog, click <b>General</b> .
Turn <b>Speak as Typing</b> on or off.	<b>General Options</b> pane.
Select or deselect test taking options.	In the <b>Lock Features</b> dialog from the <b>Tools</b> menu, <b>Enable</b> (unlock) or <b>Disable</b> (lock) features from the following categories: <b>Reading, Writing, Online, Doc Preparation, Library, Reference</b> , and under <b>Miscellaneous, Customization, ion, Usage Log</b> , and <b>Bubble Note Editing</b> .
Set up password access to test taking options.	In the <b>Lock Features</b> dialog from the <b>Tools</b> menu, select <b>Password Protect All Settings</b> , then enter the password.
Set up password for file access.	From the <b>File</b> menu, click <b>Properties</b> . In the Properties dialog, click <b>General</b> . In the <b>Password for Opening</b> text field, enter the password, then click <b>OK</b> . Confirm password when prompted, then click <b>OK</b> . The Properties dialog closes.

## Setting Up Word Prediction

### To set up Word Prediction options:

1. From the **Tools** menu, select **Options**.
2. In the **Options** dialog, click the **Word Prediction** icon.
3. In the **Word Prediction Options** dialog,

Select:	To:
<b>Add new words as they are typed</b>	Add words to the Word Prediction dictionary as you type.
<b>Add new words automatically when spell checking</b>	Automatically add new words to the Word Prediction dictionary as you add them during spell checking.
<b>Train on words not in spell check dictionary</b>	Add words that are not in the Spell Check dictionary.
<b>Use phonetic spelling</b>	Present possible alternative words from the phonetic spelling list.
<b>Add words to Private spelling dictionary</b>	Edit or reload the Word Prediction Dictionary. By default, the Large dictionary set is loaded

### To add an entire document to the Word Prediction dictionary:

This option adds all the words from a text or image document to the Word Prediction list.

**Note:** If you need to add a list of words to the Word Prediction dictionary for students or users who have a specific set of words with which they have difficulty, consider deleting all the words in the current Word Prediction dictionary before performing this procedure.

1. In a document, click the **Spell Check** button to make sure all the words are spelled correctly. If there are any proper nouns, add them to your Spell Check dictionary.
2. From the **Tools** menu, select **Word Prediction**.
3. In the Word Prediction window, do one of the following:  
 To add all of the words in the document, click **Train**, then **Yes** to confirm.  
 To add words from part of a document, select the desired text, click **Train**, then **Yes** to confirm.

### To edit or reload the Word Prediction dictionary:

**Note:** Reloading a default Word Prediction dictionary, removes any words that were added to the dictionary through training or other Word Prediction “add words” options.

1. From the **Tools** menu, select **Options**.
2. In the **Options** dialog, click the **Word Prediction** icon.
3. In the **Word Prediction Options** dialog, click **Edit Word Prediction Dictionary**.

To:	Do this:
<b>Delete a single word</b>	Select the word, then click <b>Delete</b> .
<b>Delete more than one word at a time</b>	Hold down the <b>CTRL</b> key and click each word you want to delete, then click <b>Delete</b>
<b>Delete all of the words</b>	Click <b>Delete All</b> .
<b>Reload one of the default word lists</b>	Click the <b>Small</b> , <b>Medium</b> or <b>Large</b> radio button, then click <b>Reload</b> and <b>Yes</b> to confirm.

4. Click **OK** to exit the **Edit Word Prediction Dictionary** dialog, then **OK** again to exit the **Options** dialog.


**To share a Word Prediction dictionary by importing or exporting it:**

1. From the **Tools** menu, select **Options**.
2. In the **Options** dialog, click the **Word Prediction** icon.
3. In the **Word Prediction Options** pane, click Word Prediction Dictionary.
4. In the **Word Prediction Dictionary** dialog, do one of the following:

To export a copy of your current Word Prediction dictionary to a file so that others may import it.	Click <b>Export</b> . In the <b>Save As</b> dialog, type a name for your dictionary. Navigate to the location on your system where you want to save the file. Click <b>Save</b> .
To import a Word Prediction dictionary.	Click <b>Import</b> . In the <b>Open</b> dialog, navigate to the location on your system where the file is located, and select it. Click <b>Open</b> .

**Setting Up Word Lists**

The Word List feature is ideal for special, individualized, class, or study unit word lists. Kurzweil 3000 provides several word lists, which include an **Academic Vocabulary** list, **Homophones**, and **Confusables lists**. By default, the **Homophone II** and **Confusable II** lists are enabled. For the majority of Word List tasks in Kurzweil 3000, you use the Word List dialog.



To:	Do This:
Open the Word Lists dialog.	From the <b>Tools</b> menu, select <b>Word Lists</b> .




Enable or disable a list.	In the <b>Word Lists</b> dialog, click the desired list name's checkbox to enable (check)/disable (uncheck) it. Then click <b>Apply</b> or <b>OK</b> .
Create a list.	In the <b>Word Lists</b> dialog, click <b>New</b> . Create the list from scratch or from words in an open document.
Add a list to the <b>Find</b> and/or <b>Highlight</b> menus, and/or to <b>Word Prediction</b> .	In the <b>Word Lists</b> dialog, click the desired list name, then click <b>Options</b> . In the list's options dialog, click the desired option checkbox. Click <b>OK</b> to apply, and <b>OK</b> to close the dialog.
Edit a list.	In the <b>Word Lists</b> dialog, click the desired list name, then click <b>Options</b> . In the list's options dialog, you can add a new word to the list by typing it into the <b>Word</b> box. Or you can delete an entry by selecting it in the <b>List</b> box and clicking <b>Delete Entry</b> . Click <b>OK</b> to apply, and <b>OK</b> to close the dialog.
Add a definition or related word(s) for a word in the Word List.	In the <b>Word Lists</b> dialog, click the desired list name, then click <b>Options</b> . In the list's options dialog, select the desired word, and type the definition in the <b>Definition</b> box, or enter related word(s) in the <b>Related Words</b> box(es). Click <b>OK</b> to apply, and <b>OK</b> to close the dialog.

## Setting Up Kurzweil 3000 for Language Learning

Kurzweil 3000 lets you scan and read documents in other languages.

### To set the language for scanning:

1. From the **Tools** menu, select **Options** to open the **Options** dialog.
2. Click the **Scanning** icon to open the **Scanning Options** pane.
3. In the **OCR** area, in the **Language** list, select the desired language. If you frequently use multi-languages, you can select all the languages in the Language list. Find the language(s) and click the checkbox(es).




4. Click **Apply**, then **OK**.

5. When you are ready to read a document with a different language, be sure to select the Reading language. See the next procedure.

**To select the language and speaker for reading:**

1. From the **Tools** menu, select **Options** to open the **Options** dialog.
2. Click the **Reading** icon to open the **Reading Options** pane.
3. In the **Speaker** area, in the **Language** list, select the desired language.
4. In the **Speaker** list, select the desired speaker for the selected language.



## Setting Up Picture Dictionaries

Picture dictionaries, whether electronic or print, can aid in language learning, particularly when they are part of curriculum work for students in ELL or reading programs. Kurzweil 3000 comes with the K3000 Picture Dictionary, Widgeit Picture Dictionary, as well as a sample set from the Mayer-Johnson PCS library, but it can also support other picture dictionary libraries. It's also possible to set up multiple picture dictionaries as well as clip art or image libraries.

All picture dictionary operations can be found in the **Picture Dictionaries** dialog.

**To open the Picture Dictionary dialog:**


From the **Reference** menu, choose **Select Dictionary**, then from the **Picture Dictionary** sub-menu, choose **Setup**.

**Select options:**

**Show all matches** to present all matches.

**Stop after first dictionary match** to limit matches presented. (Recommended if there are many picture dictionaries added.)

**Up/Down Arrows** to move the order of dictionaries in the list. When searching for a definition, Kurzweil 3000 looks in each dictionary in the order that they appear in the list.



**To add a picture dictionary:**

1. Ensure that the software is installed on your computer and you know its location.
2. In the **Picture Dictionaries** dialog, click **New**.
3. In the **New Picture Dictionary** dialog, find and double-click the name of the folder that contains the actual images.
4. Click the **Name** box and type the name that you want to have appear in the **Select Dictionary** submenu.
5. Click **OK**, then click **OK** again.

**To add the Vcom ASL dictionary**, first copy the program from the Kurzweil 3000 product DVD or download to your computer, then follow the steps for adding a picture dictionary. For complete details, see Online Help.

**To manage picture dictionaries:**

<b>Change picture dictionary's name or location</b>	In the <b>Picture Dictionaries</b> dialog, click <b>Properties</b> . In the <b>Properties</b> dialog, type a new name or find and double-click a new location.
<b>Change the order of a picture dictionary name in the Select Dictionary submenu</b>	In the <b>Picture Dictionaries</b> dialog, select the name of the dictionary you want to move, then click the Up or Down arrow button.
<b>Select or deselect a dictionary</b>	Click the name of the dictionary in the <b>Select Dictionary</b> menu.
<b>Remove a picture dictionary</b>	In the <b>Picture Dictionaries</b> dialog, select the name of the dictionary you want to remove, then click <b>Remove</b> . Note: This procedure does not remove the dictionary software from the system.

For information on using picture dictionaries, see "Finding a Picture for a Word" on page 13.

## Setting Document Properties

Kurzweil 3000 enables you to set a number of properties for individual Kurzweil 3000 (.kes) documents. These "document level" properties apply only to the document on which they are set.

<b>To:</b>	<b>Do this in the Document Properties dialog from the File menu:</b>
<p><b>Save the current settings in the Lock Features dialog box with a document</b></p>	<p>Click <b>General</b>, select <b>Save Feature Locks in Document</b>, then click <b>OK</b>.</p> <p>Notes: When you open a document containing locked features, the Lock Features dialog is still accessible so that you can see review feature locks, but you cannot change the settings.</p> <p>If you are opening and closing documents with different sets of feature locks, a feature that is locked in one document remains locked even if it is not locked in a subsequently opened document.</p> <p>If you are on a Kurzweil 3000 Network and the Network's Broadcast Feature Locks option is active, the feature locks contained in a document override the Broadcast locks. To reapply the Broadcast locks, you must restart Kurzweil 3000.</p>
<p><b>Prevent the current document from being copied/printed</b></p> <p>Note: These options are permanent; they cannot be reset. Save a copy of the document first.</p>	<p>Click <b>General</b>, select the desired prevent copy and/or print options:</p> <ul style="list-style-type: none"> <li>• <b>Prevent Copying Document Content</b> - stops anyone from copying content from the document or saving the document to any format other than Kurzweil 3000 (.kes) format.</li> <li>• <b>Prevent Printing Document</b> - stops attempts to print the document.</li> </ul> <p>Click <b>OK</b>.</p>
<p><b>Change the Sticky/Text Note formatting of the current document</b></p> <p>Note: This option only affects the current document, leaving the default program options intact.</p>	<p>Click <b>Sticky Notes</b> or <b>Text Notes</b>, and change the settings:</p> <ul style="list-style-type: none"> <li>• <b>Font Name</b></li> <li>• <b>Style</b> (Bold, Italic)</li> <li>• <b>Size</b></li> <li>• <b>Text Color, Background Color</b> (Sticky Notes only)</li> <li>• <b>Reading Order</b></li> </ul> <p>Click <b>OK</b>.</p>
<p><b>Password protect the document</b></p> <p>Note: Jot down the password. There is no way to recover the password or the contents of the file.</p>	<p>Click <b>General</b>. In the <b>Password for Opening</b> text field, enter the password, then click <b>OK</b>.</p> <p>Confirm <b>Password</b> and click <b>OK</b>.</p> <p>The <b>Document Properties</b> dialog closes.</p>

# Keyboard Shortcuts and Function Keys

**Note:** For more comprehensive and most up-to-date lists of keyboard shortcuts, go to Online Help pages.

## Function Keys

<b>F1</b>	Launch Help	<b>F6</b>	Shift keyboard focus from one group of controls to another
<b>F2</b>	Read Back	<b>F7</b>	Zoom In 10%
<b>F3</b>	Read/Pause	<b>F8</b>	Zoom Out 10%
<b>F4</b>	Read Forward	<b>F9</b>	Start New Scan
<b>F5</b>	Fit to Text Width	<b>F11</b>	Read Faster

## Viewing Shortcuts

Fit to Text Width	<b>F5</b>	Next Page	<b>CTRL+E</b>
Shift keyboard focus from one group of controls to another	<b>F6</b>	Previous Page	<b>CTRL+R</b>
Zoom In 10%	<b>F7</b>	Go To Page	<b>CTRL+G</b>
Zoom Out 10%	<b>F8</b>	Magnify Spoken Word	<b>CTRL+K</b>
Zoom (My Zoom)	<b>CTRL+M</b>		

## File Shortcuts

Open	<b>CTRL+O</b>	Close	<b>CTRL+F4</b>
Save	<b>CTRL+S</b>	Next Document	<b>CTRL+TAB</b>
Print	<b>CTRL+P</b>	New Text File	<b>CTRL+N</b>

## Reading Shortcuts

Read/Pause	<b>F3</b>	Read Faster	<b>F11</b>
Read Back	<b>F2</b>	Read Slower	<b>F12</b>
Read Forward	<b>F4</b>		

## Reference Shortcuts

Definition	<b>CTRL+D</b>	Syllables	<b>CTRL+Y</b>
Synonyms	<b>CTRL+Q</b>	Spell Word	<b>CTRL+L</b>

## Notes Shortcuts

Note Options	<b>CTRL+F3</b>	Add Voice Note	<b>SHIFT+F7</b>
Add Footnote	<b>SHIFT+F5</b>	Bookmarks	<b>CTRL+F12</b>
Close Footnote	<b>SHIFT+F6</b>	Move to next Text or Sticky Note in image document	<b>TAB key</b>

## Column Notes Shortcuts

Move up a cell in a column	<b>Up Arrow</b>	Move down a cell in a column	<b>Down Arrow</b>
Move to next/right cell	<b>TAB or Right Arrow</b>	Move to previous/left cell	<b>SHIFT+TAB or Left Arrow</b>

## Writing and Editing Shortcuts

Undo	<b>CTRL+Z</b>	Select All	<b>CTRL+A</b>
Cut	<b>CTRL+X</b>	Find Text	<b>CTRL+F</b>
Copy	<b>CTRL+C</b>	Replace Text	<b>CTRL+H</b>
Paste	<b>CTRL+V</b>		

## Shortcuts

<b>Create or Change Thought to:</b>			
Ellipse	<b>CTRL+1</b>	Rectangle	<b>CTRL+2</b>
Rounded Rectangle	<b>CTRL+3</b>	Diamond	<b>CTRL+4</b>
<b>Create a New Linked Thought:</b>			
To Left of Selected Thought	<b>CTRL+Left Arrow</b>	To Right of Selected Thought	<b>CTRL+Right Arrow</b>
Above Selected Thought	<b>CTRL+Up Arrow</b>	Below Selected Thought	<b>CTRL+Down Arrow</b>
<b>Quick Takes Mode</b>			
Turn on "Quick Takes" for a Selected Thought	<b>CTRL+SHIFT+Q</b>	End "Quick Takes" Mode	<b>ESC</b>
<b>Link Mode and Auto Arrange Diagram</b>			
Turn On, or Off, Link Mode	<b>CTRL+L</b>	Move Link Pointer when Link Mode is On	<b>Arrow Keys</b>
Select Parent or Child Thought when Link Mode is On	<b>ENTER</b>	Arrange Diagram	<b>CTRL+7</b>
<b>Resize Thoughts</b>			
Make Wider or Narrower	<b>ALT+Right or Left Arrow</b>	Make Taller or Shorter	<b>ALT+Down or Up Arrow</b>
<b>Change Font Styles and Size</b>			
Bold	<b>CTRL+B</b>	Italic	<b>CTRL+I</b>
Underline	<b>CTRL+U</b>	Increase or Decrease Font Size	<b>CTRL+SHIFT+&gt; or +&lt;</b>
Move Selector			
To the Left or Right	<b>CTRL+SHIFT+Left or Right Arrow</b>	Up or Down	<b>CTRL+SHIFT+Up or Down Arrow</b>
<b>Select Thoughts and Notes</b>			

Select All Thoughts	<b>CTRL+A</b>	Select All Thoughts at the Current Level	<b>CTRL+SHIFT+A</b>
Select First Main Thought	<b>Home</b>	Select Nearest Thought to the Left or Right	<b>SHIFT+LEFT or RIGHT Arrow</b>
Select Nearest Thought Up or down	<b>SHIFT+Up or Down Arrow</b>	Select or Deselect a Note	<b>SPACE</b>
<b>Move Selected Thought:</b>			
To Left/Right	<b>Left/Right Arrow</b>	Up/Down	<b>Up/Down Arrow</b>
<b>Shortcuts (cont.) Set and Apply Defaults</b>			
Set Defaults from the Selected Thought	<b>Command +Shift+8</b>	Apply Defaults to the Selected Thought	<b>CTRL+8</b>
<b>Move Around the Diagram; Scroll:</b>			
To Top Left Corner	<b>CTRL+Home</b>	To Bottom Right Corner	<b>CTRL+End</b>
Up One Page	<b>Page Up</b>	Down One Page	<b>Page Down</b>
Left One Page	<b>CTRL+Page Up</b>	Right One Page	<b>CTRL+Page Down</b>
<b>View</b>			
Zoom In 10%	<b>CTRL++</b>	Fit Diagram Width to Window	<b>CTRL+W</b>
Zoom Out 10%	<b>CTRL+-</b>	Show or Hide Subtopics	<b>CTRL+H</b>
<b>Work with Notes</b>			
Create, Show, or Hide a Note	<b>CTRL+T</b>	Start Editing a Caption in a Selected Note; End	<b>ENTER</b> <b>ESCAPE</b>

### Outline Shortcuts

Add a Topic	<b>CTRL+G</b>	Add a Subtopic	<b>CTRL+K</b>
Demote Topic (like palette Right button)	<b>TAB</b>	Promote Topic (like Palette Left button)	<b>SHIFT+TAB</b>
Show or Hide Subtopics	<b>CTRL+H</b>	Change to Next Prefix Label Style	<b>CTRL+1</b>
Create, Show, or Hide a Note	<b>CTRL+T</b>	Select/Deselect Topic or Note	<b>CTRL+Space</b>
Undo	<b>CTRL+Z</b>	Delete selected Topic or Note	<b>DELETE</b>
Bold, Italic, or Underline	<b>CTRL+B, CTRL+I, or CTRL+U</b>	Increase/Decrease Font Size	<b>CTRL+SHIFT+&gt; or CTRL+SHIFT+&lt;</b>

### Tools Shortcuts

Spell Check	<b>SHIFT+F8</b>	Pronunciation editor	<b>CTRL+F7</b>
Word Prediction	<b>SHIFT+F11</b>	Options	<b>CTRL+F1</b>

### Scanning Shortcuts

Start New Scan	<b>F9</b>	Scan Repeatedly	<b>CTRL+F9</b>
Cancel Scan	<b>SHIFT+F9</b>		

## Zone Editing Shortcuts in image documents

Open Zone Editor	<b>CTRL+F5</b>	Change selected zone to OCR Override	<b>CTRL+4</b>
Move to next zone and select it	<b>TAB</b>	Change selected zone to OCR Override and type text	<b>Letter "T" key</b>
Move to previous zone and select it	<b>SHIFT+TAB</b>	Delete selected zone	<b>DELETE</b>
Change selected zone to Primary	<b>CTRL+1</b>	Delete all zones	<b>SHIFT+DELETE</b>
Change selected zone to Secondary and put it last	<b>CTRL+2</b>	Open Properties dialog	<b>Letter "P" key</b>
Change selected zone to Graphic	<b>CTRL+3</b>		

## Editing Underlying Text Shortcuts in image documents

Change Underlying Word when in document: <b>CTRL+W</b>			
Open Underlying Text Editor: <b>CTRL+F10</b>			
Exit Editor: <b>ESC</b>			
The following shortcuts are for use while in the Editor:			
Move back a word or unit	<b>F9</b>	Move up a line	<b>F11</b>
Move forward a word or unit	<b>F10</b>	Move down a line	<b>F12</b>

## Miscellaneous

Show Shortcut (Right Mouse Button) menu	<b>Menu key (left of right-handed CTRL key)</b>	Extract selected text from another application	<b>CTRL+SHIFT+R</b>
Extract text from another application	<b>CTRL+ALT+R</b>	With Kurzweil running, start a scan from another application	<b>CTRL+ALT+S</b>



# Kurzweil 3000 System Default Settings

## General Options

<b>Speak as Typing Area</b>			
<b>All Characters:</b>	Disabled	<b>Whole Sentences:</b>	Enabled
<b>Whole Words:</b>	Enabled		
<b>Miscellaneous Area</b>			
<b>Speak Buttons:</b>	Disabled		
<b>Speak Messages:</b>	Disabled	<b>Drag-Drop:</b>	Enabled
<b>Large Message Boxes:</b>	Enabled	<b>My Zoom Value:</b>	100

## Reading Options

<b>Speaker Area</b>			
<b>Language:</b>	English	<b>Speaker:</b>	Tracy
<b>Speed Area</b>			
<b>Reading Speed:</b>	145 words per minute		
<b>Read the Web Area</b>			
No default; you must select a default Web browser.			
<b>Extras Area</b>			
<b>Auto-Scroll Images:</b>	Disabled. When enabled, scrolling is by Pages.	<b>Read Voice Notes in place:</b>	Disabled
<b>Silent if Minimized:</b>	Disabled	<b>Read Word when Double Clicked:</b>	Disabled
<b>Pause at Bookmarks:</b>	Disabled	<b>Highlight Spoken Word:</b>	Enabled
<b>Pause at Empty Notes:</b>	Enabled	<b>Skip Reading Headers and Footers</b>	Enabled
<b>Read Footnotes when Opened:</b>	Enabled		

## Text Options (applies to typed/text documents)

Colors Area			
<b>Color:</b>	Black	<b>Word:</b>	Green
<b>Background:</b>	White	<b>Reading Unit:</b>	Yellow

Font Area			
<b>Font:</b>	Arial	<b>Italic:</b>	Disabled
<b>Size:</b>	18 points	<b>Underline:</b>	Disabled
<b>Bold:</b>	Enabled		

Highlighting Area			
<b>Mode:</b>	Color Background	<b>Background:</b>	Light Gray/Light Gray
<b>Block Mark/Word Mask:</b>	Colors	<b>Word:</b>	Green/Blue
<b>Text:</b>	Black/Black	<b>Unit:</b>	White/White

Extras Area			
<b>Word Spacing:</b>	0	<b>Auto-Backup Open Text:</b>	Enabled, set to five minutes

## Image Options (applies to image documents)

Colors Area			
<b>Reading:</b>	Green on Yellow	<b>Caret:</b>	Current word marker
<b>Selection:</b>	Blue	<b>Outline Colors:</b>	Disabled
<b>Background:</b>	White	<b>Caret Width:</b>	3 pixels

Extras Area			
<b>Default Fit:</b>	Text Width	<b>Fill in the Blanks:</b>	Text Notes
<b>Note Marker Size:</b>	Large	<b>Preserve Line Breaks:</b>	Disabled

## Magnifier Options (applies to text that appears in the Magnify Spoken Word window)

<b>Text Color:</b>	Black	<b>Font:</b>	Arial
<b>Background Color:</b>	White	<b>Show Image in Image Files:</b>	Disabled

## Highlighters Options

<b>Highlighting Tools Captions:</b>	You can change the caption to suit your requirements.
<b>Extract Setup:</b>	All Highlight colors are enabled. All <b>Indent</b> values are set to 0.00. No <b>Prefix</b> values. <b>Insert Blank Lines When Extracting Highlights</b> is enabled.

## Spell Check Options

<b>Limit Spelling Suggestions:</b>	Never
<b>English Dialect:</b>	American English
<b>Check spelling as you type:</b>	Enabled

## Scanning Options

<b>Main Area</b>			
<b>Brightness:</b>	50 for most scanners	<b>Repeated Scan Delay:</b>	15 seconds
<b>Save Settings:</b>	Enabled	<b>Page Orientation:</b>	Auto-Rotation

<b>OCR Area</b>			
<b>Engine:</b>	FineReader	<b>Language:</b>	English
<b>Change When Reading Language is Changed:</b>	Enabled		

<b>Extras Area</b>			
<b>Find Columns:</b>	Enabled	<b>Dynamic Thresholding:</b>	Disabled
<b>Show New Scans:</b>	Enabled	<b>Show TWAIN UI:</b>	Disabled
<b>Deskew:</b>	Enabled	<b>Confidence Threshold:</b>	95
<b>Despeckle:</b>	Disabled	<b>White on Black:</b>	Disabled. This option is only visible with some third-party OCR engines.

## Word Prediction Options

<b>Add new words as they are typed:</b>	Enabled	<b>Use Phonetic spelling for word prediction lookup:</b>	Enabled
<b>Add new words automatically when checking spelling:</b>	Enabled	<b>Edit Word Prediction Dictionary Word Prediction Starter List (dictionary) size:</b>	Large
<b>Train on words not in spell-check dictionary (after warning):</b>	Disabled		

## Review Items Options

<b>Listen to Your Written Work:</b>	In list	<b>Check Punctuation:</b>	In list
<b>Check Spelling:</b>	In list	<b>Check Word List:</b>	In list
<b>Verify Capitalization:</b>	In list		

## Lock Features dialog box

<b>All features:</b>	Enabled
<b>Password-Protect:</b>	Not selected

## Note Options dialog box

The defaults listed in this section are all located in the **Note Options** dialog box, accessible by selecting **Note Options** from the **Note** submenu of the **Tools** menu. All defaults apply to both Sticky Notes and Text Notes unless otherwise specified.

<b>Font Name:</b>	Times New Roman	<b>Text Color:</b>	Black (Sticky Notes), Blue (Text Notes)
<b>Font Size:</b>	12 Points	<b>Background Color:</b>	Yellow (Sticky Notes only)
<b>Bold:</b>	Enabled	<b>Reading Order:</b>	After Secondary Text (Sticky Notes), In Place (Text Notes)
<b>Italic:</b>	Disabled	<b>Initial Width:</b>	Manual -2.0 inches wide (Sticky Notes), Auto (Text Notes)

## Other Defaults

<b>Option:</b>	<b>Default:</b>	<b>Set from:</b>
<b>Reading Mode</b>	Continuous	Audio options menu or the Read menu.
<b>Reading Unit</b>	Sentence	Audio options menu or the Read menu
<b>Reading Language</b>	English	Read menu or the Reading Options pane.
<b>Thumbnail Size</b>	Medium	The View menu. Select the size from the Thumbnail submenu.
<b>Line Spacing</b>	Single	Writing toolbar or the Edit menu.
<b>Text Alignment</b>	Left	Writing toolbar or the Edit menu
<b>Enable Editing</b>	Enabled	Edit menu.
<b>Magnify Spoken Word</b>	Disabled	View menu.
<b>Homophones II and Confusables II Word Lists</b>	Enabled	Word Lists dialog box. Select Word Lists from the Tools menu.
<b>Dictionary</b>	American Heritage, Fifth Edition	Select from the Reference menu's Dictionary submenu.
<b>Scanning</b>	Black and White	Scan menu.
<b>Usage Log Log Limit Size Save (logged data for)</b>	Disabled Enabled 5 days	Tools menu.
<b>Default Save Locations for User Documents</b>		

# Using Kurzweil 3000 Applets

Kurzweil 3000 for Windows includes two applets: The Kurzweil Taskbar and the Talking Calculator.


## The Kurzweil 3000 Taskbar

The Kurzweil Taskbar, which appears as a small bar in the Windows Taskbar, provides quick access to a subset of Kurzweil 3000 features, Read, Dictionary Lookup and Spell Check, even without Kurzweil 3000 running.

- You must show the Taskbar. See “Show or hide the Kurzweil Taskbar” (page 75).
- In the Network, Web License or Remote License Edition, you must have a valid license.

### Drag, Drop and Click

Drag and drop (or Copy/Paste) a single word or a large selection of text from any application, including e-mail and Web, directly onto the Text box and click the desired Taskbar button.



### Spell Check

When there is a misspelled word in the text, clicking the Spell Check button opens the Spell Check window, in which you can edit text, select a suggestion from the Suggestions list, Replace the misspelling, as well as drag and drop the corrected text back into the original application.

### Look Up Word

Clicking the Lookup button for a word or placing multiple words in the Text box opens the **Taskbar Main** window, which consists of a Text display area, and a set of buttons for reading, looking up words, saving and viewing vocabulary, and setting options.

Text display area

Along the bottom, from left to right, are the following buttons:

- Lookup
- **Go Back/Forward** to previous/next lookup word
- Start/Stop Reading
- Options
- **View** saved vocabulary words
- **Save** lookup word in Word List
- **Close**

The screenshot shows a window titled 'Taskbar Main'. The main area is a text display with the following text: 'There are four standard toolbars as well as a set of specialized "Sample" toolbars, which you can show, hide, apply or customize. This chapter contains exercises for showing, hiding and applying toolbars. For information about customizing toolbars, see Kurzweil 3000 online Help or the Kurzweil 3000 for Windows User's Guide.' The text is highlighted in yellow. At the bottom of the window is a toolbar with several icons: a magnifying glass, a left arrow, a right arrow, a list icon, a gear icon, a document icon, a speech bubble icon, and a close icon. A line points from the 'Text display area' label to the text area.

## Image Reader

Use the **Image Reader** button on the Kurzweil 3000 Taskbar (and also on the Main menu bar's Read menu) to gain access to any digital text located in otherwise inaccessible file formats such as Flash or locked PDFs. Click the button and use the crosshairs that appear to select an area of image and text. The text is recognized and read using FineReader OCR and the text-to-speech option selected in the Taskbar Options panel.

## Additional Kurzweil Taskbar Functions

Set or change options	Right click in the Kurzweil Taskbar, then click the <b>Options</b> button on the menu. In the <b>Options</b> dialog, select the desired options. Settings include: Voice, reading Speed, Dictionary, Font Size, Edit Word List, and Show Word of the Day.
Save and view Vocabulary Words	In the Kurzweil Taskbar <b>Main window</b> , as you look up a word, you can click the <b>Save</b> button to save it to a Word List. Click <b>View</b> to view the list.
Set up Word of the Day	Once you have saved words to the Kurzweil Taskbar Word List, you can enable Word of the Day to automatically display a different word from the list every day. Click the <b>Options</b> button in the Kurzweil Taskbar menu. In the <b>Options</b> dialog, select <b>Show Word of the Day</b> .
Resize the Kurzweil Taskbar	Drag the dotted bar on the left-hand edge of the Taskbar.
Show or hide the Kurzweil Taskbar	In an empty area of the Windows Taskbar, click the right mouse button to display the <b>Windows Taskbar</b> Right Mouse Button menu, From the <b>Toolbars</b> submenu, click <b>Kurzweil Taskbar</b> . A check mark indicates that the Kurzweil Taskbar is showing.

### Notes:

- If you do not want the Kurzweil Taskbar automatically installed, during Kurzweil 3000 installation, choose **Custom Install** and deselect **Kurzweil Taskbar**.
- Document-based locks and Network-broadcasted locks apply to the Kurzweil Taskbar. For example, if you lock Spell Check, that feature will not be available in the Taskbar.

## The Kurzweil 3000 Calculator

This application provides: Scientific, Statistics, Standard and Business calculator views. Before using any calculator, review its online Help for specific instructions. By default, the Calculator provides speech.

**To launch the Calculator applet**, go to Windows Start, All Programs, Kurzweil Educational Systems, and select **Kurzweil 3000 Calculator**.

To display a calculator:	Press:	To display a calculator:	Press:
Scientific Calculator	<b>F5 key</b>	Standard Calculator	<b>F8 key</b>
Statistics Calculator	<b>F6 key</b>	Business Calculator	<b>F9 key</b>

**Note:** In the Standard Calculator, there is a History box that tracks your work.

## Additional Calculator Features

Enable/Disable <b>Speech</b>	Click Speech checkbox.
Hear Calculator <b>Help</b>	Go to the <b>Help</b> menu and select <b>About Talking Calculator</b> .
Hear the <b>current value</b>	Press <b>CTRL+V</b> .
Show the <b>list of hot keys</b>	Press <b>F3</b> .
<b>Exit</b> the Calculator	Go to the <b>File</b> menu and choose <b>Exit</b> .

# Administration Tasks for Teachers

## Locating User Files

User Documents that users create, import and work with in Kurzweil 3000 are stored in*:	
<b>Windows Vista, Windows 7, Windows 8 and 8.1</b>	C:\Users\ <i>user name</i> \Documents\KESI\Kurzweil 3000
<b>Windows XP</b>	C:\Documents and Settings\ <i>username</i> \My Documents\KESI\Kurzweil 3000
<b>Older systems</b>	C:\My Documents\Kurzweil Educational Systems\Kurzweil 3000\ <i>username</i>
User Preference Files that include Kurzweil 3000 settings, Word Lists, and personal dictionary files are stored in:	
<b>Windows Vista, Windows 7, Windows 8, 8.1, and Windows 10</b>	C:\Program Files\Kurzweil Educational Systems\Kurzweil 3000\Settings
<b>Windows XP</b>	C:\Documents and Settings\ <i>username</i> \Application Data\KESI\Kurzweil 3000
<b>Older systems</b>	C:\Program Files\Kurzweil Educational Systems\Kurzweil 3000\Settings
*In the Network Edition, the files are stored on the Client computer.	

## Obtaining Student Usage Reports

You can track and monitor students' Kurzweil 3000 usage to ensure that they are using the appropriate tool for a task, or to see how long it took them to perform a task.

By default, the Usage Log is disabled. You must enable it for each user separately.

There are two different logs that you can view:

- Word Help Log - keeps track of events, such as Double-click reading, Definition Lookup, Spell word, along with the date that each event occurred:
- Complete Log - keeps track of events, such as User Login, file-related tasks, Reading, Highlighting, Word Help, along with the date and time that each event occurred.

The resulting report is a viewable, read-only RTF document.

### To enable the Usage Log:

In the user's Kurzweil 3000 window, from the **Tools** menu, choose **Usage Log**.

In the **Usage** dialog, select the **Enable Logging** checkbox.

### To create and view Usage Log for a user:

In the user's Kurzweil 3000 window, from the **Tools** menu, choose **Usage Log**.

In the **Usage** dialog, select either the **Word Help Log** or **Complete Log**, specify **Log Options**, then click **OK**.



# Index

---

## **Symbols**

.BMP 7

.JPG 7

.TIF 7

## **A**

about

documents 7

Kurzweil 3000 1

Kurzweil 3000 window 3

menus 5

this guide 1

toolbars 4

adding

a picture to a document 26

Bookmarks 18

Brainstorm Notes 30

file hyperlink 25

ideas in Outline 32

Outline Notes 34

same document hyperlink 25

thoughts in Brainstorm 29

Web page hyperlink 25

administration tasks for teachers 74

answering

Bubble Notes questions 17

Arrange Thoughts in Brainstorm 30

audio file creation

about 42

audio files

monitoring progress 43

Automatic Software Updates 2

## **B**

Bookmarks

navigating in documents 9

pause at 19

working with 18

Brainstorm

about 29

adding Notes 30

adding thoughts 29

Arrange Thoughts 30

creating 29

creating a draft from 31

creating from Blank 29

creating from Template 29

creating new 26

deleting links 30

deleting thoughts and links 30

editing thoughts 30

Link Thoughts 29

moving thoughts 30

palette 29

Quick Takes 29

redirecting links 30

resizing thoughts 30

to Draft view 31

to Outline view 31

to Split Screen view 31

window 29

Bubble Notes

answering questions in 17

as instructional and testing notes

55

creating 16

editing 16

## **C**

Calculator 72

- captions
  - for Highlighters 19
- Change User 43
- checking
  - spelling 37
- checking spelling 37
- Circle tools
  - using 15
- circles
  - erase 15
  - find 15
  - print circled text 19
- closing
  - Column Notes 21
  - Notes 18
- Column Notes
  - about 20
  - closing 21
  - copying 22
  - covering column 22
  - editing 22
  - extract to Outline 22, 24
  - joining 22
  - moving around in 22
  - opening 20
  - resizing 22
  - saving or replacing 21
  - showing/hiding column 22
  - using one file across multiple
    - documents 24
  - zoom, edit headers, insert/delete
    - rows in 22
- copy
  - Column Notes 22
- covering
  - Column Notes column 22
- creating
  - audio files 42
  - Brainstorm from Blank 29
  - Brainstorm from Template 29
  - Brainstorm graphic organizer 29
  - Bubble Notes 16
  - Draft 35
  - Draft Blank 35
  - draft from Brainstorm 31
  - Draft from Outline 35
  - Draft from Template 35
  - new Brainstorm 26
  - new document from Template 26
  - new Outline 26
  - new text/Draft document 26
  - Notes 15
  - Outline 32
  - Outline from Blank 32
  - Outline from Template 32
- customizing
  - Kurzweil 3000 44
  - Right Mouse Button menu 44
  - tests 56

**D**

- DAISY .OPF file 7
- default settings 67
- delete
  - Column Notes row 22
- deleting
  - Bookmarks 18
  - links in Brainstorm 30
  - Notes 16
  - thoughts and links in Brainstorm 30
- DOC file 7
- DOC file format 41
- document camera 46
- document hyperlink, adding 25

- documents
  - about 7
  - formats 41
  - locating 42
  - navigating in 9
  - opening and viewing 7
  - preparing 49
  - preparing by cleaning image
    - documents 54
  - preparing using Edit Underlying Text 51
  - preparing using Header/Footer Editor 54
  - preparing using Override OCR 50
  - preparing using Pronunciations editor 52
  - preparing using Zone Editor 49
  - properties, setting 62
  - saving and printing
    - printing
      - documents 41
  - sending through e-mail 42
  - specifying First Page and Front Matter 54
- DOCX 7
- DOCX file format 41
- Draft
  - creating 35
  - creating Blank 35
  - creating from Outline 35
  - creating from Template 35
  - creating new document from
    - Template 26
  - creating new text document 26
  - from Brainstorm or Outline 35
  - to Brainstorm view 35
  - to Outline view 36

- to Review 36
- Drafts
  - about 35
- E**
- edit
  - Column Notes headers 22
- Edit Underlying Text 51
- editing
  - Brainstorm thoughts 30
  - Bubble Notes 16
  - Column Notes 22
  - hyperlink 25
  - Notes 16
  - options on the Edit menu 28
  - Outline text and topics 33
  - pronunciations 52
- Editing tools
  - about 26
- electronic content
  - searching for and downloading 44
- e-mail
  - sending documents through 42
- EPUB file 7
- Extract
  - Highlights to Column Notes
    - Column Notes
      - extract from Highlights 23
  - Notes 43
  - Notes and Highlights 18
  - to Outline from Column Notes 22, 24
- F**
- File
  - Open from Google Drive 7
  - Open from Library 7

- file formats
  - .BKS 42
  - .DOC 7
  - .DOCX 7
  - .EPUB 7
  - .HTML, HTM 42
  - .KES 7
  - .OPF 7
  - .PDF file 7
  - .RTF 7
  - .TIF 42
  - .TIF, .BMP, .JPG 7
  - .TXT 7
  - DAISY .OPF 42
  - Kurzweil 3000 .KES 41
  - list of supported 41
  - Rich Text .RTF 41
  - supported 7
  - text .TXT 41
  - Word .DOC 41
  - Word 2007 .DOCX 41
- file hyperlink, adding 25
- File menu 43
- files
  - Join 43
  - locating 74
    - locating
      - documents and files 42
  - Open with Editor 43
  - options 43
  - Properties 43
  - recent 43
  - sharing through Universal Library
    - 43
- finding
  - Notes 16
- firefly
  - access to Web Universal Library 43
  - login web page from File menu 43
- Firewall Settings for Receiving updates
  - 2
- First Page 54
- Footnotes
  - reading automatically 19
- Front Matter 54
- function keys 63

**G**

- General Options 67
- go to
  - Bookmarks 18
- Google Drive 7

**H**

- Header/Footer Editor 54
- hearing
  - Notes 18
- Help 6
- hiding
  - Column Notes column 22
  - Notes 19
- Highlighters
  - change captions for 19
  - using 15
- Highlighters Options 68
- highlighting
  - dual 45
- Highlights
  - extract to Column Notes 23
- highlights
  - erase 15
  - extracting 18
  - find 15
  - print highlighted text 19

## Hyperlinks

- about 25
- Add/Edit dialog, opening 25
- editing 25
- file link, adding 25
- same document link, adding 25
- saving document in .KES 25
- Web page link, adding 25

## I

- image files
  - .TIF, .BMP, .JPG 7
- Image Options 68
- image text
  - dragging and dropping into text document 27
- insert
  - Column Notes row 22

## J

- joining
  - Column Notes 22
  - files 43

## K

- KES file format 41
- keyboard access 6
  - navigating in documents 9
- keyboard shortcuts 63
- Kurzweil 3000
  - starting and stopping 2
  - window 3
- Kurzweil 3000 Calculator 72
- Kurzweil 3000 KES file 7
- Kurzweil 3000 Taskbar 71

## L

- Language
  - Reading 11
- languages
  - learning, setting up Kurzweil 3000 for 59
- Link Thoughts in Brainstorm 29
- locating
  - files 74
- Lock Features 70
- look up
  - a selected word 12
  - information from online encyclopedias 12
  - picture for a word 13
  - word I type 12

## M

- Magnifier Options 68
- Magnify Spoken Word 11
- Main toolbar 3
- Math notation, reading 13
- MathML support 13
- menus
  - about 5
  - keyboard access 6
- message URL <https://www.kurzweiledu.com> 0
- moving
  - Notes 16
  - thoughts in Brainstorm 30
- moving around in Column Notes 22
- My Account
  - access to firefly login web page 43

## N

- navigating in documents

- about 9
- First, Last, Next Previous Page 9
- keyboard access 9
- Page button 9
- Thumbnail button 9
- using Bookmarks 9
- NIMAS .OPF file 7
- Note Options 70
- Note Snippets
  - about 24
- Notes
  - Brainstorm 30
  - Bubble Notes 55
  - Column Notes 20
  - creating 15
  - deleting 16
  - editng 16
  - extracting 43
    - extracting
      - Notes 18
  - finding 16
  - hiding 19
  - moving 16
  - opening, hearing, closing 18
  - Outline 34
  - removing multiple Notes 16
  - resizing 16
  - showing 19
  - switching between Notes 16
- O**
- Office .DOCX file 7
- Open files with Editor 43
- opening
  - Bookmarks 18
  - Column Notes 20
  - Column Notes in Note Snippets 24

- documents 7
- Notes 18
- opening documents
  - using KESI Virtual Printer 8
- OPF DAISY file 7
- OPF file format 42
- OPF NIMAS file 7
- options
  - General 67
  - Highlighters 68
  - Image 68
  - Kurzweil 3000 45
  - Magnifier 68
  - Note 70
  - Reading 67
  - Review 69
  - scanning 46, 47
  - Spell Check 69
  - Text 68
  - Word Prediction 69
- organizing
  - Brainstorm thoughts 30
  - Outline ideas 32
- Outline
  - about 32
  - adding ideas 32
  - adding Notes 34
  - creating 32
  - creating a Draft from 35
  - creating from Blank 32
  - creating from Template 32
  - creating new 26
  - editing text and topicsin 33
  - extract from Column Notes 22, 24
  - organizing ideas 32
  - palette 32
  - showing/hiding sub-topics 33

- to Brainstorm view 34
- to Draft view 34
- to Review 34
- to Split Screen view 34
- window 32

Override OCR 50

## P

- Page button 9
- Page navigating in documents 10
- pause
  - at Bookmark 19
- picture
  - adding to a document 26
- picture dictionaries
  - setting up 60
- Picture lookup 13
- Portable Document Format .PDF file 7
- preparing
  - documents 49
  - tests 56
- print
  - circled text 19
  - Column Notes
    - Column Notes
      - print 22
  - highlighted text 19
- Pronunciations editor 52
- Properties
  - files 43
- properties
  - documents, setting 62
  - Sticky Notes 19
  - Text Notes 19

## Q

- Quick Takes 29

## R

- Read the Web 12
  - about 13
  - reading Math and Science notation 13
  - reading tools in 13
  - reference tools in 13
- Reading
  - Highlight Spoken Word 11
  - Language 11
  - Magnify Spoken Word 11
  - Mode 10
  - page 10
  - Speaker 11
  - Speed 10
  - Thumbnails 10
  - Unit 10
  - Voice 10
  - Zoom
    - Zoom 10
- reading 10
  - changing dual highlighting color 45
  - Footnotes automatically 19
  - Math and Science notation 13
  - Web pages 13
- Reading Options 67
- Recent Files 43
- redirecting links in Brainstorm 30
- reference tools
  - while using Read the Web 13
- removing multiple Notes 16
- replacing
  - Column Notes 21
- resizing
  - Column Notes 22
  - Notes 16
  - thoughts in Brainstorm 30

- Review 34, 36
  - modifying checklist 36
  - using checklist 36
- Review Options 69
- Rich Text Format RTF file 7
- Right Mouse Button menu
  - customizing 44
- RTF 7
- RTF file format 41
  
- S**
- Save Page Range 42
- saving
  - Column Notes 21
  - documents 41
  - Hyperlinks documents in .KES 25
- Scan menu 46
- scanning
  - basics 46
  - high speed 46
  - options 46, 47
- Science notation, reading 13
- searching
  - Bookmarks 18
- sending
  - documents through e-mail 42
- setting
  - document properties 62
- setting up
  - Kurzweil 3000 for language learning 59
  - picture dictionaries 60
  - Word Lists 58
  - Word Prediction 57
- settings
  - system defaults 67
- sharing
  - files through Universal Library 43
- shortcuts 63
- showing
  - and hiding Outline sub-topics 33
  - Column Notes column 22
  - Notes 19
- sorting
  - Bookmarks 18
- Speaker
  - Reading 11
- Spell Check
  - about 37
  - as you type 37
  - document 37
  - private spelling dictionary 38
- Spell Check Options 69
- spelling dictionary 38
- Split Screen view 31, 34
- Start Writing 26
- starting
  - Kurzweil 3000 2
- Sticky Notes
  - properties 19
- stopping
  - Kurzweil 3000 2
- Student Usage Reports
  - Standalone 74
- Study Skills tools
  - Bookmarks 18
  - Bubble Notes 16, 17
  - color Highlighters 15
  - Column Notes 20
  - Footnotes 15
  - Notes 15, 18
  - Sticky and Text Notes 15
  - Voice Notes 15
- switching between Notes 16



## **T**

- Taskbar 71
- Template
  - Brainstorm 29
  - creating new document from 26
  - Draft 35
  - Outline 32
- Test Taking features 41
- tests
  - customizing 56
  - preparing 56
- text editor 27
- Text Notes
  - properties 19
- Text Options 68
- Text TXT file 7
- Thumbnail button 9
- Thumbnails
  - navigating in documents 10
- toolbars
  - about 4
  - Main 3
  - Writing toolbar 26
- tudy Skills tools
  - Circle tools 15
- TXT file 7
- TXT file format 41

## **U**

- Universal Library
  - open from 43
  - save to 43
  - using 43
  - Web 43
- Usage Reports
  - Standalone 74

## **V**

- viewing
  - documents 7
- Virtual Printer 8

## **W**

- Web
  - reading 13
- Web page hyperlink, adding 25
- Web Universal Library 43
- window, Kurzweil 3000 3
- Word .DOC file 7
- Word Lists
  - Floating 39
  - setting up 58
- Word Prediction 38
  - setting up 57
- Word Prediction Options 69
- working with
  - Notes 15
- writing
  - adding a picture 26
  - Brainstorm 29
  - Brainstorm Template 29
  - create new Brainstorm 26
  - create new document from
    - Template 26
  - create new Outline 26
  - create new text/Draft document 26
  - Draft 35
  - Draft Template 35
  - Drafts 35
  - dragging and dropping in text from
    - image documents 27
  - Floating Word Lists 39
  - options 28
  - Outline 32

- Outline Template 32
  - planning using Brainstorm 29
  - planning using Outline 32
- Spell Check 37
- Start Writing 26
- starting points 26
- using text editor 27
- Word Lists
  - Word Lists
    - about 38
    - using 39
  - Word Prediction 38
- Writing tools
  - about 26

## **Z**

- Zone Editor 49
- zoom
  - Column Notes 22